

PRODUCT CATALOGUE 2021



LUSCENT-R Anchors™

Translucent Endodontic Posts

Dentatus

DENTATUS · A WORLD LEADER IN THE DESIGN &
MANUFACTURE OF DENTAL PRODUCTS SINCE 1930

CHOOSE SWEDISH QUALITY

DENTATUS - MADE IN SWEDEN SINCE 1930

Thank you for your interest in our product assortment. For over 90 years, Dentatus has earned respect from dental professionals and enjoyed a global reputation for developing and manufacturing devices that deliver unique solutions to the dental market. Through university research and independent clinical testing, our products have been proven to be reliable and durable.

Dentatus operates a state-of-the-art manufacturing facility excelling in quality control. Production includes various types of technologies well adapted to fulfill high demands related to medical devices and tracing capabilities.

We believe that producing quality products is not only good for our customers, but good for the environment we live in as well, it is just one part of our commitment towards a more sustainable society. "Being a manufacturing company, we are extremely conscious about the way we treat our natural resources and environment. We strive to reduce, reuse and recycle as much as possible" says Nita Weissman, President of Dentatus Group.

From inception, our focus has been on development of products based on anticipation of needs and desires from the dental community. At the heart of Dentatus is a commitment to providing sustainable, Swedish high-quality products without compromise.

Dentatus works with over 100 distribution channels globally. Our network of distributors are extremely valuable to us and wherever you are in the world, we do our best to connect you with a distributor in your country. If we have not established distribution where you are situated, you can make a purchase directly from Dentatus in Sweden.

For more information on our products please visit www.dentatus.com. You are always welcome to contact us via info@dentatus.se.

TABLE OF CONTENTS

ATLAS IMPLANT SYSTEM	6
Implants	7
Surgical Kit	7
Drivers	8
Tuf-Link Silicone Material	9
Accessories	11
Marketing Tools	12
DENTATUS ANEW IMPLANT SYSTEM	13
Implants	14
Surgical Kit	14
Drivers	15
Laboratory Kit and Components	16
Prosthetic Kits and Components	17
Accessories	20
Elypse Kits and Components	21
CEPO DRILLS	22
CePo Drills	23
MTI IMPLANT SYSTEM	24
Introductory Kit	25
Implants	26
Accessories	26


DENTATUS POST SYSTEMS - OVERVIEW	27
CORRESPONDING REAMERS	28
CLASSIC SURTEX® POSTS	29
TITANIUM	
Starter Kits	30
Refills	32
Accessories	34
GOLD PLATED	
Starter Kits	31
Refills	33
Accessories	34
STAINLESS STEEL	
Starter Kits	31
Refills	34
Accessories	34
LUSCENT-R ANCHORS®	
Starter Kit	35
Refills	36
Accessories	36
LUSCENT ANCHORS®	
Starter Kit	38
Refills	38
Accessories	38
TWIN LUSCENT ANCHORS®	
Starter Kit	40
Refills	40
Accessories	40
LUMINEX® POST SYSTEM	
Refills	42
REAMERS	
STANDARD CLASSIC	
Assorted Packages	44
Refills	44
STANDARD CONICAL	
Refills	44
HELIX CLASSIC	
Assorted Packages	45
Refills	45
HELIX CONICAL	
Assorted Packages	46
Refills	46
SPECIAL REAMERS	
Assorted Packages	46

PROFIN® DIRECTIONAL SYSTEM - OVERVIEW	48
PROFIN® PDX	
Starter Kits	49
Contra-Angle	49
Literature	49
PROFIN® PDH	
Starter Kit	51
Hand Instrument	51
LAMINEER® TIPS	
Starter Kits	53
Refills	54
EVA Polishing Tips	54
LAMINEER® TIPS - FLEXIBLE	
Starter Kit	57
Refills	57
PROFIN® IPR TIPS	
Starter Kit	59
Refills	59
PER-IO-TOR™ INSTRUMENTS	
Starter Kit	61
Refills	61
MATRIX BANDS	
Original Dentatus Matrix Bands	63
Assorted Packages	64
MATRIX RETAINERS	
Assorted Packages	66
ARTICULATORS	
Standard Types	70
Maaxloc	70
Mounting Plates	70
FACE BOWS	
Face & Ear Bows	73
Accessories	73
Spare Parts & Service	73
GENERAL TERMS & CONDITIONS	
Dentatus Business Policy	74

Please Note: Product pictures in this catalogue can vary since products and packaging can be changed during the year.

ATLAS® IMPLANT SYSTEM

The simple solution for Denture Comfort™



*Fits thin ridges
Fits your patient's budget
Fits your practice*

The narrow-diameter ATLAS implant is designed to retain lower dentures for patients with moderate to severe resorbed bone. The low profile 3mm ATLAS dome head creates bilateral support with gentle passive retention without copings, O-rings or adhesives.


The ATLAS procedure is minimally invasive, requires no surgical flap and significantly reduces chair time, making implants affordable to more patients. Because the implants can be immediately loaded and cushioned, patients can walk into your office and leave within an hour with a comfortable, stable denture.

The clinically tested and proven ATLAS titanium alloy implants for long-term use are lauded by patients that have regained their self-esteem and natural chewing function.

ATLAS Implants


Diameters: 1.8, 2.2, 2.4 and 2.8mm

<u>Thread Length</u>	<u>Total Length</u>
Short - 7mm	14.0mm
Medium - 10mm	17.0mm
Long - 14mm	21.0mm



ATLAS IMPLANT SYSTEM

ATLAS STERILE IMPLANTS 2-pack and 5 Marking Caps

Diameter	Threaded Length			X 2
	7.0	10.0	14.0	
1.8	AT-18S-R	AT-18M-R	AT-18L-R	 X 5
2.2	AT-22S-R	AT-22M-R	AT-22L-R	
2.4	AT-24S-R	AT-24M-R	AT-24L-R	
2.8		AT-28M-R	AT-28L-R	

Corresponding Drills (see pg. 17)	
1.8	MR-1141, MR-1142
2.2	MR-1145
2.4	MR-1146
2.8	MR-1147



SURGICAL INSTRUMENTATION INCLUDING STERELIZING BOX


AK-3 Atlas[®] Surgical and Prosthetic Instrumentation Kit - available in EU countries

- 3 - CePo Drills - Short (for 1.8, 2.2 and 2.4 mm Implants)
- 1 - Atlas R/A Hpc. Implant Driver
- 1 - Manual Adaptor for R/A Driver
- 1 - Set of 3 Denture Profile Forming Instruments (for Handpiece)
- 1 - Atlas Sterilizable Instrumentation Kit Box
- 1 - Instructions for Use
- 1 - X-Ray Template



AK-5 SURGICAL INSTRUMENT KIT IN STERI-BOX ORGANIZER

- 2 CePo Pilot Drills - 1 Short & 1 Long
- 1 CePo Drill for 2.2mm Implants, Short
- 1 CePo Drill for 2.4mm Implants, Short
- 1 CePo Drill for 2.8mm Implants, Short
- 1 Atlas R/A Hpc. Driver
- 1 Atlas Winged Hand Driver
- 3 Atlas Denture Forming Instruments
- 1 MPD Ratchet Handle
- 1 Steri-Box Organizer
- 1 Instructions For Use
- 1 Atlas Driver Bit for MPD Ratchet



IMPLANT DRIVERS

	AR-8-1	1 Atlas Winged Hand Driver
	AR-110-1	1 Atlas R/A Hpc. Driver
	MR-120	1 Hand Adapter for R/A Drivers
	MPD	1 Ratchet Handle
	MPD-AT-1	1 Atlas Driver Bit for MPD Ratchet

THE MAGIC OF TUF-LINK® SILICONE




Equal parts comfort & retention for dentures

Twenty five percent of all Americans over the age of 60 wear dentures. Published data suggests overtime 90% will experience discomfort with their denture.

Dentatus can help! Our Tuf-Link® Complete is designed to cushion and stabilize full or partial dentures without adhesives, and glazes in one, short office visit.

Tuf-Link is a nonporous silicone-resin reline formula that won't absorb water, which is one of the leading causes of bacteria growth and odor. This extraordinary liner is tear resistant and maintains its form and resiliency for 18-24 months.

New or existing dentures are first retrofit chairside with the Denture Forming Instruments, and then relined with Tuf-Link. Polymerizing in 4-5 minutes, Tuf-Link creates a perfect fit every time, without post-insertion adjustments, discomfort, sores or lesions.



CREATE AN UNDERCUT SEAM




CREATE DEPTH GROOVES



REMOVE GROOVES AT DEPTH



DISPENSE AND SPATULATE TUF-LINK



APPLY TUF-LINK TO DENTURE



TRIM AND PLACE LINER

TUF-LINK SILICONE MATERIAL

TUF-LINK SILICONE CARTRIDGES



TK-102 1 Tuf-Link Silicone 10ml Cartridge with 3 Auto-Mix Tips



TK-502 1 Tuf-Link Silicone 50ml Cartridge with 10 Auto-Mix Tips



TLC 1 Tuf-Link Silicone 10ml Cartridge with 3 Auto-Mix Tips and 3 Denture Forming Instruments

AUTO-MIX TIPS



TK-10-T 10 Auto-Mix Tips for Tuf-Link 10 ml Cartridge



TK-50-T 10 Auto-Mix Tips for Tuf-Link 50 ml Cartridge

AUTO-MIX DISPENSERS



TK-10-G 1 Auto-Mix Dispenser for Tuf-Link 10 ml Cartridge



TK-50-G 1 Auto-Mix Dispenser for Tuf-Link 50 ml Cartridge

ATLAS IMPLANT SYSTEM

ACCESSORIES



AR-32 1 Atlas Half Round Denture Forming Instrument



AR-19 1 Atlas Grooved Denture Forming Instrument



AR-60 1 Atlas Spherical Denture Forming Instrument



AR-10 Atlas Denture Forming Instruments Complete Set of 3



AR-15 4 Fixed Analogs



AR-151 20 Denture Marking Caps

ATLAS MARKETING TOOLS

Reach your denture patients with a marketing support program offering an award winning patient brochure. The brochure is illustrated and explains who is a candidate and what to expect from the procedure. Press releases, photos & ad slicks can be personalized for your office. Case presentation models are also available for demonstration.

We're driving patients to you with www.denturecomfort.com. Patients can learn all about the procedure that can put an end to denture problems. They will also find answers to common questions and regularly updated articles and industry research.




ATLAS-PM 1 Patient Education Model



AM-5 100 Denture Comfort Office Brochures

DENTATUS ANEW® IMPLANT SYSTEM

*The features that make Dentatus ANEW
the most versatile narrow-diameter implant system*




DENTATUS ANEW IMPLANT SYSTEM

Dentatus ANEW Implants

Diameters: 1.8, 2.2, 2.4 and 2.8mm

Thread Length	Total Length
Short - 7mm	14.3mm
Medium - 10mm	17.3mm
Long - 14mm	21.3mm



ANEW STERILE IMPLANT 1/pack

Diameter	Threaded Length		
	7.0	10.0	14.0
1.8	ST-18S-R-1	ST-18M-R-1	ST-18L-R-1
2.2	ST-22S-R-1	ST-22M-R-1	ST-22L-R-1
2.4	ST-24S-R-1	ST-24M-R-1	ST-24L-R-1
2.8		ST-28M-R-1	ST-28L-R-1



X1

Corresponding Drills
(see pg. 17)

1.8	MR-1041, MR-1042
2.2	MR-1045
2.4	MR-1046
2.8	MR-1147



ANEW STERILE IMPLANTS 2/pack

Diameter	Threaded Length		
	7.0	10.0	14.0
1.8	ST-18S-R	ST-18M-R	ST-18L-R
2.2	ST-22S-R	ST-22M-R	ST-22L-R
2.4	ST-24S-R	ST-24M-R	ST-24L-R



X 2

DENTATUS **ANEW** IMPLANT SYSTEM

SK-3 - ANEW® Surgical and Prosthetic Instrumentation Kit - available in EU countries

- 1 - ANEW Sterilizable Instrumentation Kit Box
- 2 - 1.4 CePo Pilot Drills (1 Long & 1 Short for 1.8 mm Implants)
- 2 - CePo Drills - for 2.2 and 2.4 mm Implants
- 1 - Manual Adaptor for R/A Driver
- 1 - ANEW Chisel-End Screwcap Driver
- 1 - ANEW R/A Hpc. Implant Driver
- 1 - ANEW Trephine Hollow Drill
- 1 - Instructions for Use
- 1 - X-Ray Template







DENTATUS ANEW IMPLANT SYSTEM

SK-5 SURGICAL INSTRUMENT KIT WITH STERI-BOX ORGANIZER (US ONLY)





- 2 CePo Pilot Drills - 1 Short & 1 Long
- 1 CePo Drill for 2.2mm Implants, Short
- 1 CePo Drill for 2.4mm Implants, Short
- 1 CePo Drill for 2.8mm Implants, Short
- 1 Anew R/A Hpc. Driver
- 1 Anew Winged Hand Driver
- 1 Chisel-End Screwcap Hand Driver
- 1 Trepine Hollow Drill
- 1 MPD Ratchet Handle
- 1 Anew Driver Bit for MPD Ratchet
- 3 Denture Forming Instruments
- 1 Elypse Driver
- 1 Instruction for Use

IMPLANT DRIVERS

	SR-30-1	1 Anew Winged Hand Driver
	SR-57-1	1 Anew R/A Hpc. Driver
	MR-120	1 Hand Adapter for R/A Drivers
	MPD	1 Ratchet Handle
	MPD-ST-1	1 Anew Driver Bit for MPD Ratchet

ACCESSORIES

	SR-200	Scan Body 4.0mm & Black Screw Cap
	SR-201	Scan Body 5.0mm & Screw Cap




DENTATUS **ANEW** IMPLANT SYSTEM

ST-L PROSTHETIC KIT FOR LAB RESTORATIONS



- 1 Screwcap Hand Driver
- 1 Screwcap Plug
- 1 Resin Screwcap - Black
- 1 Resin Screwcap - White
- 1 Resin Castable Platform
- 1 Impression Coping
- 1 Fixed Analog
- 1 Removable Analog

LABORATORY COMPONENTS

	SR-68-2	2 Impression Copings
	SR-68	4 Impression Copings
	SR-189-2	2 Resin Castable Platforms
	SR-189	4 Resin Castable Platforms
	SR-83-2	2 Fixed Analogs
	SR-83	4 Fixed Analogs
	SR-122-2	2 Removable Analogs
	SR-122	4 Removable Analogs

DENTATUS **ANEW** IMPLANT SYSTEM

STS-1 ANEW IMPLANT & ECONOMY-PACK FOR 1 SINGLE UNIT INTERIM CROWN



- 1 Implant-matching Size CePo Drill, Short
- 1 Screwcap Hand Driver
- 1 Screwcap Plug
- 1 Hand Adapter for R/A Driver
- 1 Resin Screwcap - Black
- 1 Resin Screwcap - White
- 1 Anew R/A Handpiece Driver
- 1 Resin Platform for Temporary Crown
- 1 Anew Sterile Implant (select size)

CPR-1 PROSTHETIC KIT FOR TEMPORARY CROWN



- 1 Screwcap Hand Driver
- 1 Screwcaps Plug
- 1 Resin Platform for Temporary Crowns
- 1 Resin Screwcap - Black
- 1 Resin Screwcap - White
- (Implant not included)*


ST-T PROSTHETIC KIT FOR TEMPORARY CROWN - available in EU countries

- 1 Screwcap Hand Driver
- 1 Screwcaps Plug
- 1 Titanium Platform for Temporary Crowns
- 1 Resin Screwcap - Black
- 1 Resin Screwcap - White

DENTATUS ANEW IMPLANT SYSTEM

SNP-2 PROSTHETIC KIT FOR MULTI-UNIT RESTORATIONS

- 2 Screwcap Hand Drivers
- 2 Screwcap Plugs
- 2 Resin Screwcaps - Black
- 2 Resin Screwcaps - White
- 2 Titanium Connective Bars
- 2 Titanium Platforms for Interim Multi-Unit Restorations



RESTORATIVE PLATFORMS FOR SINGLE TOOTH



SR-97-2 2 Resin Platforms for Temporary Crowns



SR-111-2 2 Titanium Platforms for Interim Crowns

DENTATUS **ANEW** IMPLANT SYSTEM

RESTORATIVE PLATFORMS FOR MULTI-UNITS



SR-96-2 2 Resin Platforms for Temporary Multi-Unit Restorations




SR-96 4 Resin Platforms for Temporary Multi-Unit Restorations

SR-49 2 Titanium Platforms for Interim Multi-Unit Restorations

SCREWCAPS



SR-45-2 2 Titanium Screwcaps



SR-62-2 2 Resin Screwcaps - White

SR-62 6 Resin Screwcaps - White



SR-75-2 2 Resin Screwcaps - Black

SR-75 6 Resin Screwcaps - Black



SR-58-2 2 Screwcap Plugs

SR-58 6 Screwcap Plugs

SCREWCAP DRIVERS



SR-3-2 2 Screwcap Hand Drivers



SR-46-1 1 Chisel-end Screwcap Hand Driver

DENTATUS **ANEW** IMPLANT SYSTEM


ET-K ELYPSE FOR REMOVABLE PROSTHESIS KIT



ELYPSE PLATFORMS

View	Part Number	Description
TOP	ET-35	2 Elypse Titanium Platforms - 3.5mm
SIDE	ET-40	2 Elypse Titanium Platforms - 4.0mm
	ET-193	1 Elypse Driver

CEPO DRILLS



Start all your osteotomies with Dentatus CePo Pilot Drills


Dentatus CePo pilot drills are highly recommended by implantologists for initiating osteotomies for all sizes and makes of implants. The needlepoint edge pierces both hard and soft tissue, providing sharp, chatter-free drilling and assures accuracy of position, angle and depth.

- Static piercing of tissue without epithelial entrapment.
- Chatter-free drilling assures accuracy of position, angle and depth
- Precise repositioning of angles in extraction sites
- Short & Long shanks on Pilot Drills for unimpeded reach and access

THE DIFFERENCE BETWEEN THE TWO LASER MARKING SYSTEMS ON THE CEPO DRILLS:

SYSTEM 1

For bone level procedures.
The lower border line of each marking corresponds to the threaded length of the implant: short (7mm), medium (10mm) and long (14mm). Markings width is 0.5mm.







SYSTEM 2






For flapless placement.
The upper border line of each marking correspond to the implant's platform: short (11mm), medium (14mm) and long (18mm), i.e. flush with the top of the gingiva. Markings width is 2mm.

Example for an implant of Medium length

CePo DRILLS - SYSTEM 1

	MR-1041	2 CePo Pilot Drills, 1.8mm, Long
	MR-1042	2 CePo Pilot Drills, 1.8mm, Short
	MR-1045	2 CePo Drills for 2.2 mm Implants, Short
	MR-1046	2 CePo Drills for 2.4 mm Implants, Short

CePo DRILLS - SYSTEM 2


	MR-1141	2 CePo Pilot Drills, 1.8mm, Long
	MR-1142	2 CePo Pilot Drills, 1.8mm, Short
	MR-1145	2 - CePo Drills for 2.2 mm Implants, Short
	MR-1146	2 - CePo Drills for 2.4 mm Implants, Short
	MR-1147	2 - Drills for 2.8 mm Implants, Short

MTI IMPLANT SYSTEM

MTI-Monorail is an integrated implant-prosthetic system for immediate restorations. The low profile resin/metal reinforced splint provides a strong foundation when firmly cemented to fixed full and quadrant restorations.

Additionally, MTI-Monorail is highly effective for bone augmentation and sinus lift procedures and for emergency repairs with quick replacement of key failing abutments and implant fixtures.


When no longer needed, the implants can be removed by backing them out without causing damage or patient discomfort.



MTI-Monorail Implants

Diameter: **1.8**

<u>Thread Length</u>	<u>Total Length</u>
Short - 6.5mm	14.0mm
Medium - 9.5mm	17.0mm
Long - 13.5mm	21.0mm



Corresponding Drills (see pg. 17)

1.8	MR-1041, MR-1042
------------	------------------



MTI IMPLANT SYSTEM

MK-2 MTI MONORAIL INTRODUCTORY KIT



- 6 - Ti Implants 14 mm (Non Sterile)
- 6 - Ti Implants 17 mm (Non Sterile)
- 6 - Ti Implants 21 mm (Non Sterile)
- 18 - Monorail Singular Copings
- 6 - Comfort Caps
- 20 - Impression Copings
- 20 - Lab. Analogues
- 30 - Gingival Protective Spacers
- 4 - Ti Connective Bars
- 2 - CePo Drills (1 Long, 1 Short)
- 1 - R/A Hpc. Driver
- 1 - Winged Socket Key
- 1 - Paralleling Extension Rod
- 4 - Universal Flexible Splint Frames - 2 Short, 2 Long
- 1 - Instructions for Use


MTI REFILLS



MR-2006	6 Implants 1.8 Diameter x 14 mm Long* 6 Singular Copings 12 Assorted Gingival Spacers 2 Titanium Connective Bars
MR-2106	6 Implants 1.8 Diameter x 17 mm Long* 6 Singular Copings 12 Assorted Gingival Spacers 2 Titanium Connective Bars
MR-2206	6 Implants 1.8 mm Dia. x 21 mm Long* 6 Singular Copings 12 Assorted Gingival Spacers 2 Titanium Connective Bars

Note: MTI Implants are delivered **non-sterile.*

MTI ACCESSORIES



MR-2015	12 Singular Copings
MR-2035	20 Impression Copings
MR-2040	20 Gingival Spacers
MR-1030	12 Comfort Caps
MR-2050	3 Titanium Connective Bars
MR-2020	20 Lab Analogs
MR-1060	1 MTI Winged Hand Driver
MR-1050	1 MTI R/A Hpc. Driver
MR-1075	2 Paralleling Extension Rods
MPD	1 Ratchet Handle
MPD-MR-1	1 MTI Driver Bit for MPD Ratchet
MR-2070	4 Universal Flexible Splint Frame - Short
MR-2072	4 Universal Flexible Splint Frame - Long

DENTATUS POST SYSTEMS - OVERVIEW

Classic Surtex® Posts

The Dentatus Classic Surtex post has a metal finish, creating two-fold increase of retention compared to machined surfaces. The treated metal surface increases retention and significantly reduces micro leakage. Their matte finish reduces glare for better aesthetics.


Corresponding Reamers

Helix Classic: RSA #1-6, RSB #1-6, RSC #1-5
Standard Classic: RUA #1-6, RUB #1-6

TITANIUM, SIZE #1-6

GOLD PLATED, SIZE #1-6

STAINLESS STEEL, SIZE #1-6



Luscent Anchors®

Luscent Anchors non-metallic posts transmit light for curing composites within the deep confines of canals providing anchorage and flawless aesthetics. Resin reinforced fiberglass Luscent Anchors fulfill dentistry's preference for very strong, non-metallic posts that are consistent with conventional adhesive techniques and materials to support core foundations and aesthetic restorations. The radioluscent anchors transmit tooth color without being visible under the most adverse light conditions. They also provide a sound core-crown gingival interface radiating natural color through soft and hard tissues surrounding teeth.

Corresponding Reamers

Helix Conical: RSG #3-6, RSH #3-6, RSI #3-5
Standard Conical: RUG #1-6, RUH #4-6

XXXS: LENGTH 15 MM & Ø 1,00 MM


XXS: LENGTH 15 MM & Ø 1,15 MM

XS: LENGTH 15 MM & Ø 1,30 MM

S: LENGTH 15 MM & Ø 1,45 MM

M: LENGTH 17 MM & Ø 1,60 MM

L: LENGTH 19 MM & Ø 1,75 MM



LUSCENT-R Anchors®

LUSCENT-R Anchors offer all the advantages of Luscent Anchors, plus the additional advantage of increased radiopacity levels for clear & crisp imaging. High-quality unidirectional fiber rods are densely distributed and polymerized in a strong resin matrix for superior mechanical strength. The adhesion of the epoxy-resin to the silanized fibers in LUSCENT-R is a key point for excellent fatigue properties.

Corresponding Reamers

Standard Conical: RUG #1-6, RUH #4-6

XXXS: LENGTH 15 MM & Ø 1,00 MM


XXS: LENGTH 15 MM & Ø 1,15 MM

XS: LENGTH 15 MM & Ø 1,30 MM

S: LENGTH 15 MM & Ø 1,45 MM

M: LENGTH 17 MM & Ø 1,60 MM

L: LENGTH 19 MM & Ø 1,75 MM



Twin Luscent Anchors®

Twin Luscent Anchors offer additional advantages to those of Luscent Anchors – improved mechanical retention, both against pulling and rotational forces. It gives a possibility to choose between tapered or parallel post shape, depending on which end is inserted in apical direction.

Corresponding Reamers

Helix Classic: RSA #3-6, RSB #3-6, RSC #3-5
Standard Classic: RUA #3-6, RUB #3-6

XS: LENGTH 16,7 MM & Ø 1,26 MM

S: LENGTH 16,7 MM & Ø 1,40 MM

M: LENGTH 16,7 MM & Ø 1,54 MM

L: LENGTH 16,7 MM & Ø 1,68 MM



Luminex® Posts

Luminex light-transmitting plastic post polymerizes composites inside weak, debilitated root structures leaving an ideal space for subsequent placement of prefabricated or custom cast posts and cores. Either one of the Luminex Smooth and Grooved Plastic Posts can be used as burnout posts for custom cast posts and cores.

Corresponding Reamers

Helix Classic: RSA #1-6, RSB #1-6, RSC #1-5
Standard Classic: RUA #1-6, RUB #1-6

SMOOTH, SIZE #1-6





GROOVED, SIZE #1-6



CORRESPONDING REAMERS

READ MORE ON PAGE 44

POSTS & CORRESPONDING REAMERS

Post system (post sizes)		Corresponding Reamers						
<i>Surtex</i> <i>Luminex</i>	<i>Twin Luscent</i>		Helix Classic Reamers				Standard Classic Reamers	
			Short 28 mm	Long 33 mm	X Long 37 mm		Short 28 mm	Long 33 mm
#1	-		RSA-1/3	RSB-1/3	RSC-1/2		RUA-1/3	RUB-1/3
#2	-		RSA-2/3	RSB-2/3	RSC-2/2		RUA-2/3	RUB-2/3
#3	White (XS)		RSA-3/3	RSB-3/3	RSC-3/2		RUA-3/3	RUB-3/3
#4	Yellow (S)		RSA-4/3	RSB-4/3	RSC-4/2		RUA-4/3	RUB-4/3
#5	Red (M)		RSA-5/3	RSB-5/3	RSC-5/2		RUA-5/3	RUB-5/3
#6	Blue (L)	RSA-6/3	RSB-6/3	-	RUA-6/3	RUB-6/3		
<i>Luscent & LUSCENT-R</i>			Conical Reamers				Conical Reamers	
			-	-	-		RUG-1/2	-
	Purple (XXXS)		-	-	-		RUG-2/2	-
	Green (XXS)		-	-	-		RUG-3/2	-
	White (XS)		RSG-3/3	RSH-3/3	RSI-3/2		RUG-4/2	RUH-4/2
	Yellow (S)		RSG-4/3	RSH-4/3	RSI-4/2		RUG-5/2	RUH-5/2
	Red (M)		RSG-5/3	RSH-5/3	RSI-5/2		RUG-6/2	RUH-6/2
	Blue (L)	RSG-6/3	RSH-6/3	-				

DENTATUS CLASSIC SURTEX® POSTS

PREMIUM DENTAL POSTS WITH PROVEN RELIABILITY

Superior Retention Through Design

The Advantages

- Surtex® surface treatment
- Superior retention
- Assortment box for ease-of-use
- Manufactured in Sweden
- 100% quality control

The original Dentatus Classic Surtex® Posts have become a global standard in dental anchors, and offer dentists a reliable and simple solution for post and core build-up. Our high-quality, pre-fabricated posts are dependable and economic for most endodontic and prosthodontic treatment needs, available in a range of materials including pure titanium, stainless steel and gold plated.


Whatever your crown retention requirements, Dentatus Classic Surtex® Posts has the solution. Available in titanium, stainless steel and gold plated, together with our dedicated reamers they form a state-of-the-art system for post retention in endodontically treated root canals.

Dentatus Classic Surtex® Posts – a continuously developed global standard since 1932.

Square crosscut head for core material adaption

Parallell sides and surface treated for extra retention

Anatomical geometry for tapered roots



CLASSIC SURTEX® POST SIZES

	SHORT (7,8 MM)	MEDIUM (9,3 MM)	LONG (11,8 MM)	EXTRA LONG (14,2 MM)	SUPER LONG (17 MM)
1	Ø 1,05 mm	Ø 1,05 mm	Ø 1,05 mm		
2	Ø 1,20 mm	Ø 1,20 mm	Ø 1,20 mm		
3	Ø 1,35 mm	Ø 1,35 mm	Ø 1,35 mm	Ø 1,35 mm	Ø 1,35 mm
4	Ø 1,50 mm	Ø 1,50 mm	Ø 1,50 mm	Ø 1,50 mm	Ø 1,50 mm
5	Ø 1,65 mm	Ø 1,65 mm	Ø 1,65 mm	Ø 1,65 mm	Ø 1,65 mm
6	Ø 1,80 mm	Ø 1,80 mm	Ø 1,80 mm	Ø 1,80 mm	Ø 1,80 mm

STARTER KITS

CLASSIC SURTEX TITANIUM

Economy Kit

- TST-18** 18 Assorted Posts: 1x S1, S2; 1x M1, M4, M5, M6; 2x M2, M3; 1x L1, L2, L3, L4, L5, L6, 1x EL4, EL6
 6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
 1 Hollow Key
 1 Cross Key
 20 Stoppers



Assortment Kit

- TST-60** 60 Assorted Posts (20 sizes, 3 posts of each)
 6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
 1 Hollow Key
 1 Cross Key
 20 Stoppers



Complete Starter Kit

- TST-B** 120 Assorted Posts (20 sizes, 6 posts of each)
 6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
 1 Hollow Key
 1 Cross Key
 20 Stoppers



Starter Refill Kit - No Reamers

- TST** 120 Assorted Posts (20 sizes, 6 posts of each)
 1 Hollow Key
 1 Cross Key
 20 Stoppers




STARTER KITS

CLASSIC SURTEX GOLD PLATED

Economy Kit

RST-18 18 Assorted Posts: 1x S1, S2; 1x M1, M4, M5, M6; 2x M2, M3; 1x L1, L2, L3, L4, L5, L6;
1x EL4, EL6
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers



Assortment Kit

RST-60 60 Assorted Posts (20 sizes, 3 posts of each)
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers



Complete Starter Kit

RST-B 120 Assorted Posts (20 sizes, 6 posts of each)
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers



Starter Refill Kit - No Reamers

RST 120 Assorted Posts (20 sizes, 6 posts of each)
1 Hollow Key
1 Cross Key
20 Stoppers



CLASSIC SURTEX STAINLESS STEEL

Economy Kit

SST-18 18 Assorted Posts: 1x S1, S2, S3, S4; 1x M1, M2, M3, M4; 1x L3, L4, L5, L6; 1x EL3, EL4, EL5;
1x SL3, SL4, SL5
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers




Assortment Kit

SST-60 60 Assorted Posts (20 sizes, 3 posts of each)
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers



Complete Starter Kit

SST-B 120 Assorted Posts (20 sizes, 6 posts of each)
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers



Starter Refill Kit - No Reamers

SST 120 Assorted Posts (20 sizes, 6 posts of each)
1 Hollow Key
1 Cross Key
20 Stoppers



REFILLS

CLASSIC SURTEX TITANIUM

Short, 7.8 mm, 15 pcs/pkg

TST-S1	Diameter 1.05 mm
TST-S2	Diameter 1.20 mm
TST-S3	Diameter 1.35 mm
TST-S4	Diameter 1.50 mm
TST-S5	Diameter 1.65 mm
TST-S6	Diameter 1.80 mm



Medium, 9.3 mm, 15 pcs/pkg

TST-M1	Diameter 1.05 mm
TST-M2	Diameter 1.20 mm
TST-M3	Diameter 1.35 mm
TST-M4	Diameter 1.50 mm
TST-M5	Diameter 1.65 mm
TST-M6	Diameter 1.80 mm



Long, 11.8 mm, 15 pcs/pkg

TST-L1	Diameter 1.05 mm
TST-L2	Diameter 1.20 mm
TST-L3	Diameter 1.35 mm
TST-L4	Diameter 1.50 mm
TST-L5	Diameter 1.65 mm
TST-L6	Diameter 1.80 mm



Extra Long, 14.2 mm, 15 pcs/pkg

TST-EL3	Diameter 1.35 mm
TST-EL4	Diameter 1.50 mm
TST-EL5	Diameter 1.65 mm
TST-EL6	Diameter 1.80 mm



Super Long, 17 mm, 15 pcs/pkg

TST-SL3	Diameter 1.35 mm
TST-SL4	Diameter 1.50 mm
TST-SL5	Diameter 1.65 mm
TST-SL6	Diameter 1.80 mm



REFILLS

CLASSIC SURTEX GOLD PLATED

Short, 7.8 mm, 15 pcs/pkg

RST-S1	Diameter 1.05 mm
RST-S2	Diameter 1.20 mm
RST-S3	Diameter 1.35 mm
RST-S4	Diameter 1.50 mm
RST-S5	Diameter 1.65 mm
RST-S6	Diameter 1.80 mm



Medium, 9.3 mm, 15 pcs/pkg

RST-M1	Diameter 1.05 mm
RST-M2	Diameter 1.20 mm
RST-M3	Diameter 1.35 mm
RST-M4	Diameter 1.50 mm
RST-M5	Diameter 1.65 mm
RST-M6	Diameter 1.80 mm



Long, 11.8 mm, 15 pcs/pkg

RST-L1	Diameter 1.05 mm
RST-L2	Diameter 1.20 mm
RST-L3	Diameter 1.35 mm
RST-L4	Diameter 1.50 mm
RST-L5	Diameter 1.65 mm
RST-L6	Diameter 1.80 mm



Extra Long, 14.2 mm, 15 pcs/pkg

RST-EL3	Diameter 1.35 mm
RST-EL4	Diameter 1.50 mm
RST-EL5	Diameter 1.65 mm
RST-EL6	Diameter 1.80 mm



Super Long, 17 mm, 15 pcs/pkg

RST-SL3	Diameter 1.35 mm
RST-SL4	Diameter 1.50 mm
RST-SL5	Diameter 1.65 mm
RST-SL6	Diameter 1.80 mm



REFILLS

CLASSIC SURTEX STAINLESS STEEL

Short, 7.8 mm, 12 pcs/pkg

- SST-S1** Diameter 1.05 mm
- SST-S2** Diameter 1.20 mm
- SST-S3** Diameter 1.35 mm
- SST-S4** Diameter 1.50 mm
- SST-S5** Diameter 1.65 mm
- SST-S6** Diameter 1.80 mm



Medium, 9.3 mm, 12 pcs/pkg

- SST-M1** Diameter 1.05 mm
- SST-M2** Diameter 1.20 mm
- SST-M3** Diameter 1.35 mm
- SST-M4** Diameter 1.50 mm
- SST-M5** Diameter 1.65 mm
- SST-M6** Diameter 1.80 mm



Long, 11.8 mm, 12 pcs/pkg

- SST-L1** Diameter 1.05 mm
- SST-L2** Diameter 1.20 mm
- SST-L3** Diameter 1.35 mm
- SST-L4** Diameter 1.50 mm
- SST-L5** Diameter 1.65 mm
- SST-L6** Diameter 1.80 mm



Extra Long, 14.2 mm, 12 pcs/pkg

- SST-EL3** Diameter 1.35 mm
- SST-EL4** Diameter 1.50 mm
- SST-EL5** Diameter 1.65 mm
- SST-EL6** Diameter 1.80 mm



Super Long, 17 mm, 12 pcs/pkg

- SST-SL3** Diameter 1.35 mm
- SST-SL4** Diameter 1.50 mm
- SST-SL5** Diameter 1.65 mm
- SST-SL6** Diameter 1.80 mm



ACCESSORIES

FOR DENTATUS METAL POSTS

NLH 1 Hollow Key

NLK 1 Cross Key



LUSCENT-R™ ANCHORS

TRANSLUCENT ENDODONTIC POSTS

Next Generation Fiber Posts with Increased Radiopacity

The Advantages

- Radiopaque
- Superior esthetics
- Dentin-like elasticity
- Biocompatible
- Priced right
- Expedited procedure
- Atraumatic retrieval
- Swedish quality

Without compromise, LUSCENT-R offers all the benefits expected from brand leading, light-transmitting fiber posts, now with higher radiopacity levels for clear & crisp x-rays.

Superior mechanical strength without compromising flexibility

Light transmitting

Textured surface produces strong bond to dentin



STARTER KIT

LUSCENT-R™ ANCHORS

Starter Kit 3, With Standard Conical Reamers

- LUCR-K3** 15 LUSCENT-R Anchors, color coded depth markers
(5 of each size: small, medium, large)
 3 Assorted Standard Conical Reamers (one of each: RUH-4, RUH-5, RUH-6)
 15 Core Forms-to-Fit



REFILLS

LUSCENT-R™ ANCHORS

10 LUSCENT-R Anchors + 10 Assorted Core Forms-to-Fit/pkg

- LUC-L10** Luscent-R Anchors Large (blue depth markers)
LUC-M10 Luscent-R Anchors Medium (red depth markers)
LUC-S10 Luscent-R Anchors Small (yellow depth markers)
LUC-XS10 Luscent-R Anchors Extra Small (white depth markers)
LUC-XXS10 Luscent-R Anchors XX-Small (green depth markers)
LUC-XXXS10 Luscent-R Anchors XXX-Small (purple depth markers)



ACCESSORIES

CORE FORMS-TO-FIT, REFILLS

100 pcs/pkg

- LX-F** Assorted
LX-FS Small
LX-FM Medium
LX-FL Large



LUSCENT-R™ ANCHOR SIZES

XXXS: LENGTH 15 MM & Ø 1,00 MM		S: LENGTH 15 MM & Ø 1,45 MM	
XXS: LENGTH 15 MM & Ø 1,15 MM		M: LENGTH 17 MM & Ø 1,60 MM	
XS: LENGTH 15 MM & Ø 1,30 MM		L: LENGTH 19 MM & Ø 1,75 MM	

DENTATUS LUSCENT ANCHORS®

FIBERGLASS RESIN ANCHORS

Premiere Product for Strong Aesthetic Restorations

The Advantages

- The original fiber anchors from Dentatus
- Excellent esthetics
- One step procedure
- Creates anchor-core support

For strong aesthetic anchorage of dental cohesive restorations. One-Step procedure for simultaneously curing adhesives and composites within the confines of canals creates a mono-bloc strength anchor-core support.

Color coded for fast size indication

Provide extremely high adhesion to composite materials

6 diameters to fit very slim and very large canals



STARTER KIT

LUSCENT ANCHORS

Starter Kit 3, With Standard Conical Reamers

- LUC-K3** 15 Luscent Anchors, color coded depth markers (5 of each size: small, medium, large)
 3 Assorted Standard Conical Reamers (one of each RUH-4, RUH-5, RUH-6)
 1 Probos I Pathfinder #3
 15 Assorted Core Forms-to-Fit



REFILLS

LUSCENT ANCHORS

5 Anchors + 6 Ass. Core Forms-to-Fit/pkg

- LUC-L5** Luscent Anchors Large (blue depth markers)
LUC-M5 Luscent Anchors Medium (red depth markers)
LUC-S5 Luscent Anchors Small (yellow depth markers)
LUC-XS5 Luscent Anchors Extra Small (white depth markers)
LUC-XXS5 Luscent Anchors XX-Small (green depth markers)
LUC-XXXS5 Luscent Anchors XXX-Small (purple depth markers)



15 Anchors + 15 Ass. Core Forms-to-Fit/pkg

- LUC-L15** Luscent Anchors Large (blue depth markers)
LUC-M15 Luscent Anchors Medium (red depth markers)
LUC-S15 Luscent Anchors Small (yellow depth markers)
LUC-XS15 Luscent Anchors Extra Small (white depth markers)
LUC-XXS15 Luscent Anchors XX-Small (green depth markers)
LUC-XXXS15 Luscent Anchors XXX-Small (purple depth markers)



ACCESSORIES

CORE FORMS-TO-FIT, REFILLS

100 pcs/pkg

- LX-F** Assorted
LX-FS Small
LX-FM Medium
LX-FL Large



LUSCENT ANCHOR SIZES

XXXS: LENGTH 15 MM & Ø 1,00 MM



S: LENGTH 15 MM & Ø 1,45 MM



XXS: LENGTH 15 MM & Ø 1,15 MM



M: LENGTH 17 MM & Ø 1,60 MM



XS: LENGTH 15 MM & Ø 1,30 MM



L: LENGTH 19 MM & Ø 1,75 MM



DENTATUS TWIN LUSCENT ANCHORS®

FIBERGLASS RESIN DENTAL ANCHOR WITH AN INNOVATIVE DESIGN

A Winning Combination of Light Transmission, Attractive Esthetics and Twice the Retention

The Advantages

- Design provides extra high retention
- Glass fiber material for high aesthetics
- High adhesion
- Twice the invention
- Twice the retention

The Twin Luscent Anchor is based on the Luscent Anchor. The design is a visible assurance against accidental debonding of adhesive and resin-core materials.

Dentatus has raised the standard of excellence with the Twin Luscent Anchors. This innovative design is your visible assurance against accidental debonding of adhesive and resin-core materials. The slim mid-section creates a "physical choke." The vent groove eliminates air resin entrapment and prevents rotational dislocation. It all adds up to a winning combination of light transmission, attractive esthetics and twice the retention.*

**Al-Harbi & Nathanson, Boston U. Presented at AAED/IFED MTG, 10/3/02*

Color coded for fast size indication

Hour-glass shape provides improved retention

Longitudinal groove provides anti-rotational interlocking



STARTER KIT

TWIN LUSCENT ANCHORS

Starter Kit 1, With Standard Classic Reamers

- LUT-K1** 15 Twin Luscent Anchors, color coded depth markers (5 of each size: small, medium, large)
 3 Assorted Standard Classic Reamers (one of each RUA-4, RUA-5 and RUB-6)
 15 Assorted, Core Forms-to-Fit



REFILLS

TWIN LUSCENT ANCHORS


5 Anchors + 6 Ass. Core Forms-to-Fit/pkg

- LUT-L5** Luscent Anchors Large (blue depth markers)
LUT-M5 Luscent Anchors Medium (red depth markers)
LUT-S5 Luscent Anchors Small (yellow depth markers)
LUT-XS5 Luscent Anchors Extra Small (white depth markers)



15 Anchors + 15 Ass. Core Forms-to-Fit/pkg

- LUT-L15** Luscent Anchors Large (blue depth markers)
LUT-M15 Luscent Anchors Medium (red depth markers)
LUT-S15 Luscent Anchors Small (yellow depth markers)
LUT-XS15 Luscent Anchors Extra Small (white depth markers)



ACCESSORIES

CORE FORMS-TO-FIT, REFILLS

100 pcs/pkg

- LX-F** Assorted
LX-FS Small
LX-FM Medium
LX-FL Large



TWIN LUSCENT ANCHOR SIZES

XS: LENGTH 16,7 MM & Ø 1,26 MM



M: LENGTH 16,7 MM & Ø 1,54 MM



S: LENGTH 16,7 MM & Ø 1,40 MM



L: LENGTH 16,7 MM & Ø 1,68 MM



DENTATUS LUMINEX® POST SYSTEM

FOR RESTORING THIN-WALLED ROOTS

The Visible Cure for Saving Compromised Roots

The Advantages


- Light guides for building up roots
- To strengthen debilitated roots
- Create a “standard” root canal
- Easy single office visit procedure

The Luminex® post allows the polymerizing light to pass down through light cured composites inside weak, debilitated root structures, in order to strengthen the root and to leave an ideal space for subsequent placement of prefabricated or custom cast posts and cores.

Markings for different sizes

Grooved or smooth surface

Light transmitting



REFILLS

LUMINEX SMOOTH POSTS

Long, 22 mm, 20 pcs/pkg

DIP-1	Diameter 1.05 mm
DIP-2	Diameter 1.20 mm
DIP-3	Diameter 1.35 mm
DIP-4	Diameter 1.50 mm
DIP-5	Diameter 1.65 mm
DIP-6	Diameter 1.80 mm



LUMINEX GROOVED BURNOUT POSTS

Long, 22 mm, 20 pcs/pkg

DCP-1	Diameter 1.05 mm
DCP-2	Diameter 1.20 mm
DCP-3	Diameter 1.35 mm
DCP-4	Diameter 1.50 mm
DCP-5	Diameter 1.65 mm
DCP-6	Diameter 1.80 mm



DENTATUS REAMERS

CREATING THE PERFECT POSTULATE

The Perfect Match to Dentatus Post Systems

The Advantages


- For a perfect match between the root and the canal posts
- High quality stainless steel
- Wide choice of sizes

Dentatus reamers are designed to create a perfect match between dental root canals and the shapes and sizes of the corresponding posts. Made in Sweden from surgical high quality steel for high quality performance.

Reliable and long lasting performance

Sizes are indicated by numbers of grooves on the shank

Sharp cutting edges to create perfect seat for Dentatus Posts



ASSORTED PACKAGES

STANDARD CLASSIC REAMERS

Assorted Packages, 6 pcs/pkg

- RUA-1/6** Standard Classic Reamers, Short (1 of each size)
RUB-1/6 Standard Classic Reamers, Long (1 of each size)



REFILLS

STANDARD CLASSIC REAMERS

Short, 28 mm, 3 pcs/pkg

- RUA-1/3FP** (#1) XXX-Small Diameter 1.05 mm
RUA-2/3FP (#2) XX-Small Diameter 1.20 mm
RUA-3/3FP (#3) X-Small Diameter 1.35 mm
RUA-4/3FP (#4) Small Diameter 1.50 mm
RUA-5/3FP (#5) Medium Diameter 1.65 mm
RUA-6/3FP (#6) Large Diameter 1.80 mm



Long, 33 mm, 3 pcs/pkg

- RUB-1/3FP** (#1) XXX-Small Diameter 1.05 mm
RUB-2/3FP (#2) XX-Small Diameter 1.20 mm
RUB-3/3FP (#3) X-Small Diameter 1.35 mm
RUB-4/3FP (#4) Small Diameter 1.50 mm
RUB-5/3FP (#5) Medium Diameter 1.65 mm
RUB-6/3FP (#6) Large Diameter 1.80 mm



STANDARD CONICAL REAMERS

Short, 28 mm, 2 pcs/pkg

- RUG-1/2** (#1) XXX-Small Diameter 1.05 mm
RUG-2/2 (#2) XX-Small Diameter 1.20 mm
RUG-3/2 (#3) X-Small Diameter 1.35 mm
RUG-4/2 (#4) Small Diameter 1.50 mm
RUG-5/2 (#5) Medium Diameter 1.65 mm
RUG-6/2 (#6) Large Diameter 1.80 mm



Long, 33 mm, 2 pcs/pkg

- RUH-4/2** (#4) Small Diameter 1.50 mm
RUH-5/2 (#5) Medium Diameter 1.65 mm
RUH-6/2 (#6) Large Diameter 1.80 mm



ASSORTED PACKAGES

HELIX CLASSIC REAMERS

Assorted Packages, 3 pcs/pkg

RSA-123	Helix Classic Reamers, Short (1 of each size 1, 2, 3)
RSA-345	Helix Classic Reamers, Short (1 of each size 3, 4, 5)
RSA-456	Helix Classic Reamers, Short (1 of each size 4, 5, 6)
RSB-123	Helix Classic Reamers, Long (1 of each size 1, 2, 3)
RSB-345	Helix Classic Reamers, Long (1 of each size 3, 4, 5)
RSB-456	Helix Classic Reamers, Long (1 of each size 4, 5, 6)
RSC-123	Helix Classic Reamers, Extra Long (1 of each size 1, 2, 3)
RSC-345	Helix Classic Reamers, Extra Long (1 of each size 3, 4, 5)



REFILLS

HELIX CLASSIC REAMERS

Short, 28 mm, 3 pcs/pkg

RSA-1/3	(#1) XXX-Small	Diameter 1.05 mm
RSA-2/3	(#2) XX-Small	Diameter 1.20 mm
RSA-3/3	(#3) X-Small	Diameter 1.35 mm
RSA-4/3	(#4) Small	Diameter 1.50 mm
RSA-5/3	(#5) Medium	Diameter 1.65 mm
RSA-6/3	(#6) Large	Diameter 1.80 mm



Long, 33 mm, 3 pcs/pkg

RSB-1/3	(#1) XXX-Small	Diameter 1.05 mm
RSB-2/3	(#2) XX-Small	Diameter 1.20 mm
RSB-3/3	(#3) X-Small	Diameter 1.35 mm
RSB-4/3	(#4) Small	Diameter 1.50 mm
RSB-5/3	(#5) Medium	Diameter 1.65 mm
RSB-6/3	(#6) Large	Diameter 1.80 mm



Extra Long, 37 mm, 2 pcs/pkg

RSC-1/2	(#1) XXX-Small	Diameter 1.05 mm
RSC-2/2	(#2) XX-Small	Diameter 1.20 mm
RSC-3/2	(#3) X-Small	Diameter 1.35 mm
RSC-4/2	(#4) Small	Diameter 1.50 mm
RSC-5/2	(#5) Medium	Diameter 1.65 mm



ASSORTED PACKAGES

HELIX CONICAL REAMERS

Assorted Packages, 3 pcs/pkg

RSG-345	Helix Conical Reamers, Short (1 of each size 3, 4 ,5)
RSG-456	Helix Conical Reamers, Short (1 of each size 4, 5, 6)
RSH-345	Helix Conical Reamers, Long (1 of each size 3, 4 ,5)
RSH-456	Helix Conical Reamers, Long (1 of each size 4, 5, 6)
RSI-345	Helix Conical Reamers, Extra Long (1 of each size 3, 4 ,5)



REFILLS

HELIX CONICAL REAMERS

Short, 28 mm, 3 pcs/pkg

RSG-3/3	(#3) X-Small	Diameter 1.35 mm
RSG-4/3	(#4) Small	Diameter 1.50 mm
RSG-5/3	(#5) Medium	Diameter 1.65 mm
RSG-6/3	(#6) Large	Diameter 1.80 mm



Long, 33 mm, 3 pcs/pkg

RSH-3/3	(#3) X-Small	Diameter 1.35 mm
RSH-4/3	(#4) Small	Diameter 1.50 mm
RSH-5/3	(#5) Medium	Diameter 1.65 mm
RSH-6/3	(#6) Large	Diameter 1.80 mm



Extra Long, 37 mm, 2 pcs/pkg

RSI-3/2	(#3) X-Small	Diameter 1.35 mm
RSI-4/2	(#4) Small	Diameter 1.50 mm
RSI-5/2	(#5) Medium	Diameter 1.65 mm



ASSORTED PACKAGES

SPECIAL REAMERS

Assorted Packages

RUF-1/6	6 Probos® I, Pathfinder Assorted (1 of each size)
RUD	4 Probos® II, Reamer/Router Assorted (1 of each size)

DENTATUS PROFIN[®] DIRECTIONAL SYSTEM

THE ULTIMATE INSTRUMENTS FOR FINISHING AND POLISHING FOR:

- Hard-to-reach areas
- Interproximal and marginal adjustments
- Overhang reductions
- Treatment close to the gingiva



Profin[®] PDX

- 1.2 mm reciprocating tip movement
- No heat build-up
- No water cooling needed



Profin[®] PDH

- For manual finishing with extra high tactility
- Excellent for dental trauma cases in younger patients

PROFIN TIPS - EXAMPLES OF USE:



LAMINEER TIPS USED FOR EFFICIENT REMOVAL OF GROSS OVERHANGS

- Perfect for interdental hard-to-reach areas
- Minimizes the risk of iatrogenic damage to adjacent teeth caused by rotating instruments



IPR TIPS USED FOR INTERPROXIMAL REDUCTION DURING ORTHODONTIC TREATMENT

- Efficient one-hand operation
- Blade thickness from 0.25 mm to 0.5 mm



EVA TIPS FOR GENTLE IMPLANT CLEANING

- Use with dedicated cleaning paste
- For prophylactic treatments
- Especially useful for interdental areas

DENTATUS PROFIN® PDX

THE ULTIMATE INSTRUMENTATION FOR FINISHING
AND POLISHING FOR PROFESSIONALS

Your Companion to Dental Perfection

The Advantages

- 1.2 mm reciprocating tip movement
- For hard-to-reach areas
- Can be used close to the gingiva
- Tactile ergonomics
- Smooth glare free surface

The hand piece and the dedicated and wide assortment of abrasive tips offer unlimited access to hard-to-reach intraoral areas, allowing reshaping of enamel and restorations made of porcelain, metal, composite and amalgam.

The Profin® system is the professional's choice for finishing, polishing and contouring dental surfaces, both natural or restored. The Profin system has been on the market since 1990 and we have now launched the Profin® PDX hand piece with tactile ergonomics, smooth glare free surface and a miniature head for best access into incapacious areas.

Miniature head for best access into incapacious areas

Tactile ergonomics

Fit all types of dental E-fitting motors



STARTER KITS

PROFIN PDX

Motor Driven Hand Piece

PDX/SK PDX Starter Kit with 1 PDX contra-angle for standard E-fitting for Electric or Air Motor, Eva Plunger, 5 assorted Lamineer tips, one of each: LTA-150, LTA-30, LTA-39, LTA-S100, LTA-S50. 20 pcs EVA-2000 and 10 pcs EVA-5000.



PROFIN PDX FOR CAD/CAM

Motor Driven Hand Piece

PDX/CCK Starter Kit for CAD/CAM with 1 PDX contra-angle for standard E-fitting for Electric or Air Motor, Eva Plunger, 7 assorted Lamineer tips, one of each: LTA-150, LTA-30, LTA-39, LTA-S100, LTA-S50, LTA-S15, LTA-S75. 20 pcs EVA-2000 and 10 pcs EVA-5000.



CONTRA-ANGLE

PROFIN PDX

Motor Driven Hand Piece

PDX 1 PDX Contra-angle only for standard E-fitting for Electric or Air Motor



LITTERATURE

A4 Book, 65 pages

BL-6580 "Professional Mechanical Tooth Cleaning (PMTc), Finishing and Minimally Invasive Treatment of Caries and Periodontal Diseases – Materials, Methods and Effects".
Written by Prof. Per Axelsson



DENTATUS PROFIN® PDH

THE ULTIMATE INSTRUMENT FOR MANUAL FINISHING

Achieve the Highest Levels of Dental Finishing

The Advantages

- Interproximal adjustments
- Marginal adjustments
- Overhang reduction

Based on the established Profin/EVA system, Dentatus is proud to present the Profin PDH, a high-quality hand instrument with a wide range of interchangeable Lamineer diamond tips for safe and precise finishing work.

Profin PDH enabling you to achieve the highest levels of dental finishing during daily use, even in the most inaccessible areas.

Contra angled for posterior usage

Dual modalities: fixed or self-stering tip

Straight for anterior usage



STARTER KIT

PROFIN PDH

Starter Kit

PDH/SK PDH Starter Kit with hand instrument and
2 Lamineer tips, LTA-150 and LTA-S75



HAND INSTRUMENT

PROFIN PDH

Hand Instrument

PDH 1 Hand Instrument



DENTATUS LAMINEER® TIPS

RECIPROCATING TOOLS FOR FINISHING AND
POLISHING OF ALL TEETH AREAS

The LTA and EVA Tips Can Be Used With All Profin Instruments

The Advantages

- Excellent and well defined surfaces, also in hard-to-reach areas
- Color coded abrasive diamond tips in different shapes, grits and sizes for specific all kinds of treatments
- Safe-sided to prevent damage to adjacent tissue or enamel
- Sterilizable to provide long term economical use



BEFORE



AFTER

The Lamineer tips, with various diamond grit sizes, will remove gross excess materials for the finest finish.

The Wolfram/Tungsten plated tips give the smoothest pre-polishing finish of filling materials and will not scar adjacent enamel.

The disposable plastic polishing tips carry fresh polishing material to the right spot and prevent cross contamination.

Lamineer Tips can rotate freely to follow natural contours or be fixed for controlled detailing and shaping. When used in place of finishing strips in a free floating mode, the tips provide delicate control to shape and polish both curved and flat surfaces to optimize esthetics in the gingival, interproximal, facial and incisal areas.



STARTER KITS

LAMINEER TIPS

Stand With Tips

LTA/U 20 Lamineer Tips, Standard & Knife Edge, Assorted,
1 Lamineer Tip Stand with color code chart.
One of each: LTA-150, LTA-100, LTA-75, LTA-30,
LTA-S15, LTA-15, LTA-S150, LTA-S100, LTA-S75,
LTA-S30, LTA-C50, LTA-E50. Two of each: LTA-50,
LTA-S50, LTA-39, LTA-S36



LTA 10 Lamineer Tips, Standard & Knife Edge, Assorted,
1 Lamineer Tip Stand with color code chart.
One of each: LTA-150, LTA-S100, LTA-75, LTA-S50,
LTA-30, LTA-S15, LTA-39, LTA-S36, LTA-C50, LTA-E50.



LTA/S 10 Lamineer Tips, Knife Edge, Assorted,
1 Lamineer Tip Stand with color coded chart.
One of each: LTA-39, LTA-C50, LTA-E50, LTA-S100,
LTA-S15, LTA-S150, LTA-S30, LTA-S36, LTA-S50, LTA-S75.



REFILLS

LAMINEER TIPS

Diamond, Standard Thin Spatula, 2 pcs/pkg

LTA-150/2 *	Diamond Red	Removal of gross overhangs and shaping of all restorative material - use tips with large particle size. For shaping and polishing all prosthetic materials and enamel.
LTA-100/2	Diamond Green	
LTA-75/2	Diamond Gold	Final polishing - use tips with finer particle size.
LTA-50/2	Diamond Yellow	
LTA-30/2 *	Diamond White	
LTA-15/2	Diamond Violet	Tungsten Carbide does not scuff enamel. For final finishing of composite filling margins.
LTA-39/2 *	Tungsten Carbide Black,	



Diamond, Knife Edge Short, 2 pcs/pkg

LTA-S150/2	Diamond Red	Same use as above. Smaller and thinner tip provide better access to narrow areas and closer to interdental contact points.
LTA-S100/2 *	Diamond Green	
LTA-S75/2 *	Diamond Gold	Tungsten Carbide does not scuff enamel. For final finishing of composite filling margins.
LTA-S50/2 *	Diamond Yellow	
LTA-S30/2	Diamond White	
LTA-S15/2 *	Diamond Violet	
LTA-S36/2	Tungsten Carbide Black	



REFILLS

LAMINEER TIPS

Diamond, Paddle, 2 pcs/pkg

LTA-D150/2	Diamond Red	For shaping diverging surfaces and incisal edges
LTA-D100/2	Diamond Green	
LTA-D50/2	Diamond Yellow	
LTA-D30/2	Diamond White	



Diamond, Saw Blade Knife Edge, 2 pcs/pkg

LTA-T50/2	Diamond Yellow	For opening incisal and gingival, approximal areas.
LTA-T30/2	Diamond White	



Diamond, Concave, 2 pcs/pkg

LTA-E50/2	50 Micron, yellow	For occlusal and concave surfaces.
------------------	-------------------	------------------------------------



Diamond, Sholder/Bevel, 2 pcs/pkg

LTA-C50/2	50 Micron, yellow	For finishing shoulders, bevels etc.
------------------	-------------------	--------------------------------------



EVA POLISHING TIPS

Plastic Tips, 100 pcs/pkg

EVA-2000/100	Wedge shape, for cleaning of all approximal areas, green	Tips for polishing with appropriate polishing paste. Universal tips, only used freely rotating.
---------------------	--	---



EVA-5000/100	Thin spatula, blue	Recommended for final polishing, Implant cleaning and cleaning of implant retained prosthetics
---------------------	--------------------	--



DENTATUS EVA TIPS

FOR IMPLANT CLEANING

Efficient and Gentle Cleaning

The Advantages


- Single use plastic tips
- Use with dedicated cleaning paste
- No heat build-up
- Gentle to implants
- Gentle to prosthetics and gingiva

By using the plastic EVA tips for cleaning implants and implant retained prosthetics, an efficient and gentle cleaning can be provided. The soft plastic tips do not damage the implant surface and are gentle both against the implant, the prosthesis and against the patient's gums. The gentle reciprocating movement of 1.2 mm allows for easy and efficient cleaning without heat development. It makes it easier for the dentist or dental hygienist to access hard to reach areas and provide a more comfortable experience for the patient.

The plastic tips are disposable and used together with appropriate polishing paste.



Profing PDX hand piece




EVA 5000 plastic tip



Profing PDH hand instrument

The green tip: EVA 2000 has a sharp pointed tip for cleaning of all approximal areas.

The blue tip: EVA 5000, thin spatula with round tip.



DENTATUS LAMINEER TIPS FOR PROFIN/EVA

FLEXIBLE

The LTA-Flexible Great at Preserving Natural Esthetics

The Advantages

- Flexible design preserves natural esthetics
- Longer tip allows for even more accessibility
- For use in all Profin/EVA instruments

LTA-flex tips are twice as flexible and 2mm longer than the standard LTA range of tips. These new features prevent ditching and iatrogenic damage to natural tooth and restorative contours in the anterior region raising the gold-standard in esthetic procedures.

Lamineer Tips can rotate freely to follow natural contours or be fixed for controlled detailing and shaping. When used in place of finishing strips in a free floating mode, the tips provide delicate control to shape and polish both the curved and flat surfaces to optimize esthetic form in the gingival, interproximal, facial and incisal areas.

More flexible and 2 mm longer

Premium diamond coating, 100, 75 and 50 Micron

Color coded



STARTER KIT

LAMINEER TIPS, FLEXIBLE

Diamond, Assorted Package, 3 pcs/pkg

LTA-F 3 Lamineer Tips Flexible, one of each
LTA-F100, LTA-F75 and LTA-F50



Diamond, Refills, 2 pcs/pkg

LTA-F100/2 100 micron, green



LTA-F75/2 75 micron, gold



LTA-F50/2 50 micron, yellow



DENTATUS PROFIN IPR TIPS FOR PROFIN/EVA

FOR SAFE INTERPROXIMAL REDUCTION

Increase the Durability of Orthodontic Treatment Results

The Advantages

- Efficient and safe treatment
- Increased patient comfort
- Gentle to the gingiva
- One-hand operation

The Profin IPR™ tips for interproximal reduction are developed to use together with the highly acclaimed reciprocating Profin Directional System.

Profin is an essential addition to any discipline in dentistry and, now more than ever, in orthodontics. For a dentist, patient safety is top priority; that is why we developed the Profin IPR. With Profin IPR, dentists can correct disproportionate tooth sizes, eliminate crowding, protect enamel and increase the durability of orthodontic treatment results. Profin IPR diminishes the risk of excessive stripping thereby ensuring more conservative removal of enamel in prescribed amounts.

Profin IPR also eliminates the risk of damage to gingival tissue.

Safe sided tips

Double sided tips

Color coded tips




STARTER KIT

LAMINEER TIPS IPR

Stand With Tips

LTA-P/SK 5 Lamineer Tips,
1 Lamineer Tip Stand with color code chart
One of each: LTA-P25R, LTA-P25L, LTA-P3,
LTA-P4, LTA -P5



REFILLS

LAMINEER TIPS IPR

Diamond, for InterProximal Reduction, 2 pcs/pkg

LTA-P25R/2 Violet

Safe-sided – abrasive on right side when shank points down and back of tip towards user. Blade thickness 0.25mm



LTA-P25L/2 Violet

Safe-sided – abrasive on left side when shank points down and back of tip



LTA-P3/2 Yellow

Double sided. Blade thickness 0.3mm



LTA-P4/2 Green

Double sided. Blade thickness 0.4mm



LTA-P5/2 Red

Double sided. Blade thickness 0.5mm



All IPR tips have the same grit – equivalent to 50µ.
Color coding is relating to blade thickness only.

DENTATUS PER-IO-TOR™ INSTRUMENTS

THE ULTIMATE TOOLS FOR SAFE MECHANICAL
ROOT-PLANING

Prevents Further Removal of Root Cementum Once Surface is Clean


The Advantages

- For mechanical tooth cleaning
- Safe root-planing with Profin
- Developed by Prof. Per Axelsson
- Made of high quality stainless steel
- Made for long lasting performance

Used in the reciprocating Profin handpieces, Per-Io-Tor tips gently smoothen the root surface without over-instrumentation.

For Profin reciprocating hand piece

All instruments are made of high quality stainless steel



FACTS PER-IO-TOR FOR ROOT PLANING:

- All Per-Io-Tor instruments are made of high quality stainless steel and may be cleaned in ultrasonic baths, in thermal washers / disinfectors and in autoclaves at 134° C.
- Per-Io-Tor 1-4 may be used in all Profin and EVA handpieces.
- Per-Io-Tor 5-6 should be used in a Profin handpiece, since these instruments are used in a locked position.
- Degree of removal: approximately 0,005 mm at 2-3 minutes use until the root cementum is smooth.
- All Per-Io-Tor instruments should be used at approximately 10.000 rpm.
- The Per-Io-Tor instruments have been developed by Prof. Per Axelsson, Sweden, and are carefully documented.

STARTER KIT

PER-IO-TOR, RECIPROCATING

Instruments and Stand

TOR-K Tip stand with 6 Per-Io-Tor instruments.
One of each of TOR #1 to #6.



REFILLS

PER-IO-TOR, RECIPROCATING

Instruments, 1pc/pkg

TOR-1	#1, PER-IO-TOR Tip, Round with grooves, small	
TOR-2	#2, PER-IO-TOR Tip, Round with grooves, medium	
TOR-3	#3, PER-IO-TOR Tip, Spatula with eyelet	
TOR-4	#4, PER-IO-TOR Tip, Spatula with ridges	
TOR-5	#5, PER-IO-TOR Tip, Concave	
TOR-6	#6, PER-IO-TOR Tip, Convex	

DENTATUS MATRIX BANDS

THE ORIGINAL & SPECIAL CLASS V

Highly Regarded by Users All Over the World

The Advantages


- Swedish stainless steel
- Recognized and used globally
- Original Nyström retainers – no copies

Dentatus' Matrix Bands are manufactured from the highest quality stainless steel. The standard shape bands are available in two thicknesses: 0.05 and 0.04 mm.

The 0.04 mm bands are made of high quality stainless steel, and the thicker bands, 0.05 mm, are made from stainless steel with special dead soft quality. The choice of steel quality gives the bands high strength and good adjustability. The thinnest bands provide very good prerequisites for well contoured and defined interproximal contacts.

Dentatus quality has proven to be highly regarded by users all over the world for a long period of time.


All Dentatus Matrix Bands have perfectly smooth edges.



ORIGINAL DENTATUS MATRIX BANDS

STAINLESS STEEL, Thin 0.04 mm, 12 pcs/pkg STAINLESS DEAD SOFT STEEL, 0.05 mm, 12 pcs/pkg & 100 pcs/pkg


MDD-1RF MDD-2RF MDD-3RF MDD-1 MDD-2 MDD-3
MDD-4RF MDD-5RF MDD-6RF MDD-4 MDD-5 MDD-6



DENTATUS MATRIX BANDS SPECIAL CLASS V

FOR CLASS V RESTORATIONS, STAINLESS STEEL, Thin 0.04 mm (Acc to Dr Nyström), 12 pcs/pkg

MDD-N1/DS MDD-N3/DS MDD-N4A/DS
MDD-N4B/DS MDD-N5A/DS MDD-N5B/DS



ASSORTED PACKAGES

MATRIX BANDS, 0,05 MM (0,002")

Stainless Dead Soft Steel, 12 pcs/pkg

MDD-1/DS	#1
MDD-2/DS	#2
MDD-3/DS	#3
MDD-4/DS	#4
MDD-5/DS	#5
MDD-6/DS	#6



MATRIX BANDS, 0,05 MM (0,002")

Stainless Dead Soft Steel, 100 pcs/pkg

MDD-1/100FP	#1
MDD-2/100FP	#2
MDD-3/100FP	#3
MDD-4/100FP	#4
MDD-5/100FP	#5
MDD-6/100FP	#6



MATRIX BANDS, 0,04 MM (0,0016")

Thin Stainless Steel, 12 pcs/pkg

MDD-1RF/DS	#1
MDD-2RF/DS	#2
MDD-3RF/DS	#3
MDD-4RF/DS	#4
MDD-5RF/DS	#5
MDD-6RF/DS	#6



MATRIX BANDS, 0,04 MM (0,0016")

Stainless Steel Special Class V,
Ad Modum Dr Nyström, 12 pcs/pkg

MDD-N1/DS	N1
MDD-N3/DS	N3
MDD-N4A/DS	N4A
MDD-N4B/DS	N4B
MDD-N5A/DS	N5A
MDD-N5B/DS	N5B



DENTATUS MATRIX RETAINERS

MANUFACTURED ACCORDING TO DR. NYSTRÖM

The Proven Matrix System in Combination With Dentatus Matrix Bands

The Advantages

- Made in Sweden
- Superior quality
- Reliable function
- The Original

Dentatus has manufactured the original matrix retainers according to Dr. Nyström for decades. Made of Swedish steel according to highest standards they have been globally recognized for their reliability and high quality.

The Dentatus Nyström matrix retainers provide the dentist an everyday reliable placing of matrices. In combination with the classic Dentatus Matrix Bands they are a user friendly and proven matrix system.

Different models, straight or angled

User friendly

Swedish steel



ASSORTED PACKAGES

MATRIX RETAINERS

Swedish Steel, The Original

MEC Universal, Straight, 1 pc



MEC-N Universal, Angled, 2 pcs (1 Right & 1 Left)

MEC-N1 Universal, Angled, Right, 1 pc



MEC-N2 Universal, Angled, Left, 1 pc



DENTATUS ARTICULATORS

FOR EFFICIENT AND ACCURATE STUDY OF OCCLUSAL RELATIONS

Sturdiness and Precise Performance

The Advantages

- Robust, precise and reliable
- New and upgraded design for easier usage and maintenance
- Ergonomic knobs and improved visibility scales
- Wide range of accessories and spare parts
- Can be used with Dentatus' Face and Ear Bows

We are proud to introduce two upgraded articulators, ARH2 and ARL2, in a new modern design for easier usage and maintenance.

The new upgraded models in the Dentatus articulator and face bow range keep the same high quality and precision as recognized by the profession since long. Main improvements are found with scales and settings which have been made more ergonomic for the user.

Dedicated face & ear bows

Precise and reliable performance

Swedish quality



DENTATUS ARTICULATORS

The design of the Dentatus articulators has been made to fulfill the requirements necessary for efficient and accurate study of occlusal relations, diagnosis and treatment planning in natural and artificial dentitions. It is a high quality tool for individual reproduction of tooth and jaw relations, for analysis and extra oral manufacturing of individual prosthetics and other individual related dental devices.

The Dentatus articulators are made of aluminium and high quality stainless steel with anodized surfaces (black details) and powder coated (blue details) for sturdy and reliable use over long time. Durable plastic feet protect table surfaces from scratches.

The care with which polished or anodized surfaces, ground parts, etc. have been machined and finished is not only intended for the appearance but also to facilitate the removal of plaster, wax and other foreign matter from the articulator.



ARL2



ARL2 without Gauge Block

Dentatus Articulator ARL2 – Top Of The Line

Specifications:

- Adjustable Upper Jaw Member - Easily calibrated by use of the Gauge Block
- With the Gauge Block the articulator can be adjusted and will assure correct basic settings when cooperating dentists and laboratories work with their individual ARL2 articulators
- An articulator will in practical work be subject to gradual changes either by wear or by accident. When such changes are discovered, checking and adjustment of the articulator is important. The Gauge Block is an efficient adjunct to the ARL2 Articulator for continued precision over time
- Adjustable Condylar Track Inclination -20° to $+60^{\circ}$
- Full range Bennett shift 0° to 40°
- The Condylar Mechanism can be set from individual records
- Fixed intercondylar distance: 95mm
- Opens $180^{\circ}+$
- Condylar Track Assemblies equipped with Special Auditory Pins for attachment of the Dentatus Ear Bow AEE
- Improved thread design to minimize unintended lock-in by stone
- Solid incisal table, can be tilted anterior-posteriorly, and detachable – can be interchanged with the Fully Adjustable Segmented Incisal Table
- Total model height: 105mm
- Corrosion resistant
- Weight: 1038 g

MADE IN SWEDEN SINCE 1944

Dentatus Articulator ARH2 – A True Companion


Specifications:

As Dentatus ARL2 articulator but without the Adjustable Upper Jaw Member and without calibration possibility with the Gauge Block

- Adjustable immediate side shift
- Weight: 1010 g




The Articulator



The articulator is defined as "a mechanical instrument that represents the temporomandibular joints (TMJs) and jaws, to which maxillary and mandibular casts may be attached to simulate some or all mandibular movements" (Academy of Denture Prosthetics 1977).

The Importance of Occlusion



Understanding the correct relations between the static and functional dental contacts is key to good clinical practice in restorative dentistry. The articulator's primary function is to work as if it was a patient 'in-absence'.

Made in Sweden Since 1944

The Dentatus articulators have been manufactured in Sweden since 1944 and are still well-known high-quality precision instruments designed for long time service at dental clinics, laboratories and education centers across the world. For more information, please visit Dentatus' website www.dentatus.com

COMPLETE ARTICULATORS

STANDARD TYPES

Standard Type Semi-Adjustable Articulator

- ARH2**
- 1 Solid Incisal Table (ARX-16)
 - 1 Incisal Pin (ARH-22)
 - 1 Orbital Indicator (ARH-K)
 - 1 Long Support Pin (ARH-39)
 - 2 Zinc Mounting Plates (ARH-Z)
 - 2 Composite Reinforced Mounting Plates (ARH-ZC)



Standard Type Semi-Adjustable Articulator

- ARL2**
- 1 Solid Incisal Table (ARX-16)
 - 1 Incisal Pin (ARH-22)
 - 1 Orbital Indicator (ARH-K)
 - 1 Gauge Block (ARL-M)
 - 1 Long Support Pin (ARH-39)
 - 2 Zinc Mounting Plates (ARH-Z)
 - 2 Composite Reinforced Mounting Plates (ARH-ZC)



MAAXLOC

Complete Set

- MAX** Mandibular Axis Locator



ACCESSORIES

MOUNTING PLATES

Zinc or Reinforced Composite

- ARH-Z-2** 2 Zinc Mounting Plate
ARH-Z-28 28 Zinc Mounting Plate



- ARH-ZC-2** 2 Reinforced Composite Mounting Plate
ARH-ZC-28 28 Reinforced Composite Mounting Plate



DENTATUS FACE BOW & EAR BOW RANGE

FOR EFFICIENT AND ACCURATE STUDY OF OCCLUSAL RELATIONS

The Benchmark for Dental Perfection

The Advantages

- High reliability by obtaining precise data from the patient
- Easy transfer of accurate data to Dentatus articulators
- Long lasting quality

The Dentatus' Face Bow and Ear Bow are designed to meet the same high demands for stability and durability as the Dentatus articulators. The face bow and ear bow are used for patient jaw registrations on the correct positioning of teeth in relation to the temporomandibular during insertion in the articulator. The two variants are available depending on the preferred method used for determining the condular position on the patient.


With Dentatus' Face Bow and Ear Bow it is easy to obtain precise data from the patient and accurately transfer this information into and in order to fully utilize the scientifically designed Dentatus articulators. Only then are the precision Dentatus articulators used at greater advantage. In addition, to accommodate extreme cases the Dentatus Face Bow has been made somewhat larger than ordinary face bows.

The Dentatus' Face Bow and Ear Bow fit all Dentatus Articulators with exception for model AEE on older Dentatus articulators without auditory pins.

Manufactured from high quality aluminium

Precise and reliable performance

Swedish quality



Product Information and Maintenance Instruction



Dentatus Face Bow AEB

The AEB Face Bow is equipped with Standard Calibrated Condylar Rods. The cranial contact points on the Calibrated Condylar Rods are to be positioned at the corresponding positions of the patient's condyles. When transferred to the articulator, the Calibrated Condylar Rods fit on the Condylar Axis's on the articulator.

Condylar Rods

The Calibrated Condylar Rods are exchangeable. By changing the rods, the same bow can be used for all methods of determining the condylar position. Optionally, for extremely precise placement, yet another set of Calibrated Condylar Rods is available. The AEB-NO has extendable pins, for exact placement over pre-marked positions on the cheek. On the articulator, the AEB-NO is used in the same way as AEB.



Dentatus Ear Bow AEE

The AEE Ear bow is equipped with Calibrated Condylar Rods with blue rounded ear pieces, to be used in the patient's ear openings. This makes it easier for the operator to handle the face bow single handedly. When transferred to the articulator, the blue rounded ear plugs are attached to the Auditory Pins placed on the outer side of the articulator's Condylar Track Assemblies.

Important: With the AEE, it is necessary to lock the articulator at 40° Horizontal Condylar Inclination and Bennet angles at 20°. This to compensate for the 12 mm distance from the center of the Condylar Axis to the auditory meatus.

Maintenance

The Dentatus Face Bows are manufactured from high quality aluminium, to reduce weight. They can be disinfected with alcohol and autoclaved, if necessary.



AEE-E2



AEB-NO & AEB-B2

Available Sets of Condylar Rods

AEB-NO: 2 pcs set of Calibrated Condylar Rods with extendable pins

AEB-B2: 2 pcs set of Standard Calibrated Condylar Rods

AEE-E2: 2 pcs set of Condylar Rods with Blue Earpieces

FACE BOWS

FOR ALL ARTICULATOR MODELS

Facia Face Bow

- AEB**
- 1 Bitefork (AEB-G)
 - 1 Orbital Pointer (AEB-18)
 - 1 Clamp For Bitefork (AEB-Y)
 - 1 Clamp For Orbital Pointer (AEB-R)
 - 2 Standard Calibrated Condylar Rods (AEB-B)



Earpiece Face Bow

- AEE**
- 1 Bitefork (AEB-G)
 - 1 Orbital Pointer (AEB-18)
 - 1 Clamp for Bitefork (AEB-Y)
 - 1 Clamp For Orbital Pointer (AEB-R)
 - 2 Special Calibrated Condylar Rods with Blue Rounded Earpieces (AEE-E2)



ACCESSORIES

FOR FACE BOWS

- AEB-NO** 2 Calibrated Condylar Rods with Extendible Pins



SPARE PARTS & SERVICE

A Dentatus articulator or face bow is not everlasting – but almost. There is a good possibility that your used and maybe seized Dentatus articulator can be fixed to perfect function again. We give service and exchange worn parts on several of our old models.

Contact our Spare Parts & Service department via e-mail at: info@dentatus.se

DENTATUS' GENERAL TERMS & CONDITIONS

DENTATUS BUSINESS POLICY

It is our policy to make every effort to genuinely satisfy our customers by providing consistently high quality products and services. Our products are designed to perform as claimed when used in the manner recommended in our technical instructions and manuals and they are intended to be used by dental professionals only.

PURCHASING

Prices

Prices are subject to change without notice. Possession of a price list does not constitute an offer to sell. All prices are in European currency, Euro (€). For sales within the EU, Swedish VAT (25%) will be added unless a valid VAT registration number is presented at ordering.

Ordering and Minimum Orders

When ordering products, please include complete catalog numbers. Orders totaling less than € 200 will be subject to a special processing charge of € 30.

Terms

Payment will be made against documents unless otherwise agreed upon. Past due balances are subject to interest according to EU regulations. Dentatus also reserves the right to renegotiate the terms and conditions in the event of repeated late payments. Delivered products remain under the property of Dentatus until complete payment has been made by the customer.

FREIGHT/SHIPPING

General

All shipments are Ex Works (EXW). Assistance with arranging freight and insurance on request can be provided.

Documents

Dentatus will cover costs for documents required to be authenticated and/or legalized by national authorizations to a certain extent. Extensive costs will be charged the customer separately.

Claims

Short claims must be made within 10 days from receipt of goods. Damaged goods must be reported to the carrier within 24 hours. Damage claim must be filled by consignee.

PRODUCTS

Product Changes

Dentatus reserves the right to make product changes without prior notice. The customer is prohibited to remove or change Dentatus' trademarks and trade names, signs or any marks on any Dentatus product or packaging or to make any alternations in the construction or design of any product.

Warranty

Dentatus warrants its products against defective manufacturing and materials under normal procedure of use

within the dental profession for a period of two years from date of purchase. Warranty claims must have proof of purchase to be valid.

Returns and Claims

Before goods are returned for credit or exchange, prior written approval including a RMA (Return to Manufacturer Authorization) number must be obtained from Dentatus. Only standard merchandise of current manufacture and labeling and less than 90 days from the date of original shipment will be accepted for credit. Reason for return has to be stated. Merchandise returned in the original, unopened container and accompanied by the invoice number and date of purchase will be credited at the original purchase price. However, returned "opened" merchandise or merchandise requiring repackaging will be subject to a minimum of 15% restocking charge. Used merchandise cannot be returned. Return of merchandise must be prepaid. Merchandise returned without prior written approval will be returned to the customer at the customer's expense.

Instructions for Use (IFU)

In the EU, if officially requested language at any given time is not covered by IFU, delivery may not take place until an approved translation has been prepared. A written agreement on accepted deviation has to be made.

A translation has to follow the English or Swedish original, and has to be approved by Dentatus prior to use.

Traceability

Dentatus' products are in general labeled with LOT numbers, which allow the products to be traced in production and to customers, in case of product malfunction. The LOT number is placed on the packaging and has to be included in any return, claim or incident/accident, where the product is likely to have failed. It is required that our distributors have an integrated functional system to trace our products to the purchaser/end-user/patient, whoever is the next in the distribution chain. We also require that our distributors make this requirement to their distributors (if relevant).

Reporting Incidents and Accidents

Dentatus is conformed to the vigilance system as described in MEDDEV 2.12-1. Any malfunction of our products shall be reported to Dentatus without delay, but not later than 7 elapsed calendar days following the awareness of the event. It is important that we are informed in details on what has happened, which product(s) is (are) concerned, if there are any personal injuries or deaths involved, and a contact person for us to contact.

Limitation of Liability

Except where prohibited by law, Dentatus will not be liable for any loss or damage arising from its products, whether direct, indirect, special, incidental or consequential, regardless of the theory asserted, including warranty, contract, negligence or strict liability.

Dentatus AB, January 2021



Dentatus AB
www.dentatus.com
SE: +46 8 546 509 00
info@dentatus.se
US: +1 212 481 1010
dentatus@dentatus.com

