


MADE IN SWEDEN



CHOOSE SWEDISH QUALITY

DENTATUS PRODUCTS - MANUFACTURED IN SWEDEN WITH MICRO-PRECISION SINCE 1930

Thank you for your interest in our product assortment. For over 90 years, Dentatus has earned respect from dental professionals and enjoyed a global reputation for developing and manufacturing devices that deliver unique solutions to the dental market. Through university research and independent clinical testing, our products have been proven to be reliable and durable.

Dentatus operates a state-of-the-art manufacturing facility excelling in quality control. Production includes various types of technologies well adapted to fulfill high demands related to medical devices and tracing capabilities.

We believe that producing quality products is not only good for our customers, but good for the environment we live in as well, it is just one part of our commitment towards a more sustainable society. "Being a manufacturing company, we are extremely conscious about the way we treat our natural resources and environment. We strive to reduce, reuse and recycle as much as possible" says Nita Weissman, President of Dentatus Group.

From inception, our focus has been on development of products based on anticipation of needs and desires from the dental community. At the heart of Dentatus is a commitment to providing sustainable, Swedish high-quality products without compromise.

Dentatus works with over 100 distribution channels globally. Our network of distributors are extremely valuable to us and wherever you are in the world, we do our best to connect you with a distributor in your country. If we have not established distribution where you are situated, you can make a purchase directly from Dentatus in Sweden.

For more information on our products please visit www.dentatus.com. You are always welcome to contact us via info@dentatus.se.

PLEASE NOTE: Product pictures in this catalog can vary since products and packaging can be changed during the year. Not all products are available in all markets.

TABLE OF CONTENTS

PROFIN PDX	5
Starter Kits	6
Contra-Angle	6
Literature	6
THE COMPLETE IPR SOLUTION	7
Profin PDX	8
Lamineer Tips IPR	8
Refills	8
PROFIN PDH	9
Starter Kit	10
Hand Instrument	10
LAMINEER TIPS	11
Starter Kits	12
Refills	12
EVA Tips	14
EVA Polishing Tips	15
LAMINEER TIPS - FLEXIBLE	16
Starter Kit	17
Refills	17
DENTATUS POST SYSTEMS - OVERVIEW	18
CORRESPONDING REAMERS	19
CLASSIC SURTEX POSTS	20
GOLD-PLATED	
Starter Kits	21
Refills	22
TITANIUM	
Starter Kits	23
Refills	24
STAINLESS STEEL	
Starter Kits	25
Refills	26
Accessories	26
LUSCENT ANCHORS	27
Starter Kit	28
Refills	28
TWIN LUSCENT ANCHORS	29
Starter Kit	30
Refills	30

REAMERS	31
STANDARD CLASSIC	
Assorted Packages	32
Refills	32
STANDARD CONICAL	
Refills	32
HELIX CLASSIC	
Assorted Packages	33
Refills	33
HELIX CONICAL	
Assorted Packages	34
Refills	34
SPECIAL REAMERS	
Assorted Packages	34
 MATRIX BANDS	 35
Original Dentatus Matrix Bands	36
Assorted Packages	36
Dentatus Contoured Matrix Bands	38
Matrix Bands for Class V Restorations	40
 MATRIX RETAINERS	 41
Assorted Packages	42
 ARTICULATORS	 43
Standard Types	46
Mounting Plates	46
 FACE BOWS	 47
Face & Ear Bows	49
Accessories	49
Spare Parts & Service	49
 ANEW® IMPLANT SYSTEM	 50
 ATLAS® IMPLANT SYSTEM	 51
 CEPO DRILLS	 52
 TUF-LINK® SILICONE	 53
 DENTATUS GENERAL TERMS & CONDITIONS	 55

PROFIN® PDX

THE ULTIMATE INSTRUMENT FOR FINISHING
AND POLISHING FOR PROFESSIONALS

Your Companion to Dental Perfection

The Advantages

- 1.2 mm reciprocating tip movement
- For hard-to-reach areas
- Can be used close to the gingiva
- Tactile ergonomics
- Smooth glare free surface

The handpiece and the dedicated and wide assortment of abrasive tips offer unlimited access to hard-to-reach intraoral areas, allowing reshaping of enamel and restorations made of porcelain, metal, composite and amalgam.

The Profin system is the professional's choice for finishing, polishing and contouring dental surfaces, both natural or restored. The Profin system has been on the market since 1970s and we have now launched the Profin PDX handpiece with tactile ergonomics, smooth glare free surface and a miniature head for safe and easy access into tight spaces.

Miniature head for safe and easy access into tight spaces.

Tactile ergonomics.

Fit all types of dental E-fitting motors.



STARTER KITS

PROFIN PDX GENERAL STARTER KIT

Motor Driven Handpiece with Lamineer Tips

PDX/SK Starter Kit with 1 pc PDX contra-angle for standard E-fitting for Electric or Air Motor; 1 pc Tip Plunger EVA-60; 5 assorted Lamineer tips, one of each of the following: LTA-150, LTA-30, LTA-39, LTA-S100, LTA-S50; 20 pcs EVA-2000 and 10 pcs EVA-5000.



PROFIN PDX FOR CAD/CAM

Motor Driven Handpiece with Lamineer Tips

PDX/CCK Starter Kit for CAD/CAM with 1 pc PDX contra-angle for standard E-fitting for Electric or Air Motor; 1 pc Tip Plunger EVA-60; 7 assorted Lamineer tips, one of each of the following: LTA-150, LTA-30, LTA-39, LTA-S100, LTA-S50, LTA-S15, LTA-S75; 20 pcs EVA-2000 and 10 pcs EVA-5000.



CONTRA-ANGLE

PROFIN PDX

Motor Driven Handpiece


PDX 1 pc PDX Contra-angle only for standard E-fitting for Electric or Air Motor; 1 pc Tip Plunger EVA-60.



LITERATURE

A4 Book, 65 pages

BL-6580 The book "Professional Mechanical Tooth Cleaning (PMTTC), Finishing and Minimally Invasive Treatment of Caries and Periodontal Diseases – Materials, Methods and Effects". Written by Prof. Per Axelsson



THE COMPLETE IPR SOLUTION

FOR SAFE INTERPROXIMAL REDUCTION

Increases the Durability of Orthodontic Treatment Results

The Advantages

- Compliant with all Clear Aligner systems
- Calibrated blade thickness in 0.1mm to 0.5mm
- Efficient and safe treatment
- Increased patient comfort
- Gentle to the gingiva
- One-hand operation

The Profin IPR tips for interproximal reduction are developed to use together with the highly acclaimed reciprocating Profin Directional System.

Profin is an essential addition to any discipline in dentistry and, now more than ever, in orthodontics. For a dentist, patient safety is top priority; that is why we developed the Profin IPR. With Profin IPR, dentists can correct disproportionate tooth sizes, eliminate crowding, protect enamel and increase the durability of orthodontic treatment results. Profin IPR diminishes the risk of excessive stripping thereby ensuring more conservative removal of enamel in prescribed amounts.

Profin IPR also eliminates the risk of damage to gingival tissue.

Safe-sided and double-sided tips

Long lasting tips

Autoclavable




STARTER KITS

PROFIN PDX FOR INTERPROXIMAL REDUCTION

Motor Driven Handpiece with IPR Tips

- PDX-P/SK2** 1 pc PDX contra-angle for standard E-fitting for Electric or Air Motor;
 5 IPR Tips: LTA-P5, LTA-P4, LTA-P3, LTA-P2, LTA-P1;
 1 IPR Tip Stand with Color-Coded Chart;
 1 pc Tip Plunger EVA-60.


NEW



LAMINEER TIPS IPR

Stand With IPR Tips



- LTA-P/SK2** 5 pcs Lamineer Tips for Interproximal Reduction, one of each of the following:
 LTA-P1, LTA-P2, LTA-P3, LTA-P4 and LTA -P5;
 1 pc Lamineer Tip Stand with color code chart.





REFILLS

LAMINEER TIPS IPR

Diamond Tips for Interproximal Reduction, 2 pcs/pkg

LTA-P1/2	Black	Double sided. Blade thickness 0.1mm. Grit size 15 μ .	
LTA-P2/2	White	Double sided. Blade thickness 0.2mm. Grit size 40 μ .	
LTA-P3/2	Yellow	Double sided. Blade thickness 0.3mm. Grit size 50 μ .	
LTA-P4/2	Green	Double sided. Blade thickness 0.4mm. Grit size 50 μ .	
LTA-P5/2	Red	Double sided. Blade thickness 0.5mm. Grit size 50 μ .	

Color coding is related to blade thickness only.

LTA-P25R/2	Violet	Safe-sided – abrasive on right side when shank points down and back of tip towards user. Blade thickness 0.25mm.	
LTA-P25L/2	Violet	Safe-sided – abrasive on left side when shank points down and back of tip.	

PROFIN PDH

A ERGONOMIC HANDLE FOR FINE FINISHING AND POLISHING

Achieve the Highest Levels of Dental Finishing

The Advantages

- Interproximal adjustments
- Marginal adjustments
- Overhang reduction

Based on the established Profin system, Dentatus is proud to present the Profin PDH, a high-quality hand instrument with a wide range of interchangeable Lamineer diamond tips for safe and precise finishing work.

Profin PDH enables the dental practitioners to achieve the highest levels of dental finishing during daily use, even in the most inaccessible areas.

Contra-angled for posterior usage

Dual modalities: fixed or free-floating

Straight for anterior usage



STARTER KIT

PROFIN PDH

Starter Kit

PDH/SK PDH Starter Kit with 1 pc PDH hand instrument and 2 pcs Lamineer tips: LTA-150 and LTA-S75.



HAND INSTRUMENT

PROFIN PDH

Hand Instrument

PDH 1 Hand Instrument.



LAMINEER TIPS

A WIDE RANGE OF SPECIALIZED DIAMONDS FOR FINISHING AND POLISHING

LTA Tips Can Be Used With All Profin Instruments

The Advantages

- Excellent and well defined surfaces, also in hard-to-reach areas
- Color coded abrasive diamond tips in different shapes, grits and sizes for specific all kinds of treatments
- Safe-sided to prevent damage to adjacent tissue or enamel
- Sterilizable to provide long term economical use



BEFORE



AFTER

The Lamineer tips, with various diamond grit sizes, will remove gross excess materials for the finest finish.

The Wolfram/Tungsten plated tips give the smoothest pre-polishing finish of filling materials and will not scar adjacent enamel.

Lamineer Tips can rotate freely to follow natural contours or be fixed for controlled detailing and shaping. When used in place of finishing strips in a free floating mode, the tips provide delicate control to shape and polish both curved and flat surfaces to optimize esthetics in the gingival, interproximal, facial and incisal areas.




STARTER KITS

LAMINEER TIPS

Stands With Tips

LTA/U 20 Lamineer Tips, Standard & Knife Edge, Assorted,
1 Lamineer Tip Stand with color code chart.
One of each: LTA-150, LTA-100, LTA-75, LTA-30,
LTA-S15, LTA-15, LTA-S150, LTA-S100, LTA-S75,
LTA-S30, LTA-C50, LTA-E50. Two of each: LTA-50,
LTA-S50, LTA-39, LTA-S36




LTA 10 Lamineer Tips, Standard & Knife Edge, Assorted,
1 Lamineer Tip Stand with color code chart.
One of each: LTA-150, LTA-S100, LTA-75, LTA-S50,
LTA-30, LTA-S15, LTA-39, LTA-S36, LTA-C50, LTA-E50.




LTA/S 10 Lamineer Tips, Knife Edge, Assorted,
1 Lamineer Tip Stand with color coded chart.
One of each: LTA-39, LTA-C50, LTA-E50, LTA-S100,
LTA-S15, LTA-S150, LTA-S30, LTA-S36, LTA-S50, LTA-S75.



LTA/K1 Overhang Removal Kit:
4 Lamineer Tips, Assorted,
1 Lamineer Tip Stand with colour coded chart.
One of each: LTA-150, LTA-75, LTA-S30 and LTA-39.



LTA/K2 Embrasure Shaping Kit:
4 Lamineer Tips, Assorted,
1 Lamineer Tip Stand with colour coded chart.
One of each: LTA-S75, LTA-S50, LTA-S15 and LTA-S36.



REFILLS

LAMINEER TIPS

Diamond, Standard Thin Spatula, 2 pcs/pkg

LTA-150/2	Diamond Red	Removal of gross overhangs and shaping of all restorative material - use tips with large particle size.
LTA-100/2	Diamond Green	For shaping and polishing all prosthetic materials and enamel.
LTA-75/2	Diamond Gold	
LTA-50/2	Diamond Yellow	Final polishing - use tips with finer particle size.
LTA-30/2	Diamond White	
LTA-15/2	Diamond Violet	
LTA-39/2	Wolfram Tungsten	Wolfram Tungsten does not scuff healthy enamel. Superfine abrasive for final finishing of composite filling margins.



REFILLS

LAMINEER TIPS

Diamond, Knife-Edge Short, 2 pcs/pkg

LTA-S150/2	Diamond Red
LTA-S100/2	Diamond Green
LTA-S75/2	Diamond Gold
LTA-S50/2	Diamond Yellow
LTA-S30/2	Diamond White
LTA-S15/2	Diamond Violet
LTA-S36/2	Wolfram Tungsten

Same use as above.
Smaller and thinner tip provide better access to narrow areas and closer to interdental contact points.

Wolfram Tungsten does not scuff healthy enamel. Superfine abrasive for final finishing of composite filling margins.



Diamond, Paddle, 2 pcs/pkg

LTA-D150/2	Diamond Red
LTA-D100/2	Diamond Green
LTA-D50/2	Diamond Yellow
LTA-D30/2	Diamond White

For shaping diverging surfaces and incisal edges.



Diamond, Saw Blade Knife Edge, 2 pcs/pkg

LTA-T50/2	Diamond Yellow
LTA-T30/2	Diamond White

For opening incisal and gingival, approximal areas.



Diamond, Concave, 2 pcs/pkg

LTA-E50/2	50 Micron, yellow
------------------	-------------------

For occlusal and concave surfaces.



Diamond, Sholder/Bevel, 2 pcs/pkg

LTA-C50/2	50 Micron, yellow
------------------	-------------------

For finishing shoulders, bevels etc.



EVA TIPS

FOR IMPLANT CLEANING

Efficient and Gentle Cleaning

The Advantages


- Single use plastic tips
- Use with dedicated cleaning paste
- No heat build-up
- Gentle to implants
- Gentle to prosthetics and gingiva

By using the plastic EVA tips for cleaning implants and implant retained prosthetics, an efficient and gentle cleaning can be provided. The soft plastic tips do not damage the implant surface and are gentle both against the implant, the prosthesis and against the patient's gums. The gentle reciprocating movement of 1.2 mm allows for easy and efficient cleaning without heat development. It makes it easier for the dentist or dental hygienist to access hard to reach areas and provide a more comfortable experience for the patient.

The disposable plastic EVA tips carry fresh polishing material to the right spot and prevent cross contamination.



Profin PDX handpiece




EVA 5000 plastic tip

The green tip: EVA 2000 has a sharp pointed tip for cleaning of all approximal areas

The blue tip: EVA 5000, thin spatula with round tip

Recommended to be used with the PDX handpiece



EVA POLISHING TIPS

Plastic Tips, 100 pcs/pkg

EVA-2000/100 Wedge shape, for cleaning of all approximal areas, green

Tips for polishing with appropriate polishing paste.
Universal tips, only used freely rotating.



EVA-5000/100 Thin spatula, blue

Recommended for final polishing, implant cleaning and cleaning of implant retained prosthetics.



LAMINEER TIPS

FLEXIBLE

The LTA-Flexible is Great at Preserving Natural Esthetics

The Advantages

- Flexible design preserves natural esthetics
- Longer tip allows for even more accessibility
- For use in all Profin instruments

LTA-Flex tips are twice as flexible and 2 mm longer than the standard LTA range of tips. These new features prevent ditching and iatrogenic damage to natural tooth and restorative contours in the anterior region raising the gold-standard in esthetic procedures.

The Flexible Lamineer Tips can rotate freely to follow natural contours or be fixed for controlled detailing and shaping. When used in place of finishing strips in a free floating mode, the tips provide delicate control to shape and polish both the curved and flat surfaces to optimize esthetic form in the gingival, interproximal, facial and incisal areas.

More flexible and 2 mm longer

Premium diamond coating, 100, 75 and 50 Micron

Color coded



STARTER KIT

LAMINEER TIPS, FLEXIBLE

Diamond, Assorted Package, 3 pcs/pkg

LTA-F 3:pcs Lamineer Tips Flexible, one of each of the following:
LTA-F100, LTA-F75 and LTA-F50.



REFILLS

LAMINEER TIPS

Diamond, Refills, 2 pcs/pkg

LTA-F100/2 100 micron, green



LTA-F75/2 75 micron, gold



LTA-F50/2 50 micron, yellow



POST SYSTEMS - OVERVIEW

Surtex Posts

The Dentatus Surtex post has a texturized finish, creating two-fold increase of retention compared to machined surfaces. This significantly reduces micro leakage and reduces glare for better esthetics.

Corresponding Reamers

Helix Classic: RSA #1-6, RSB #1-6, RSC #1-5

Standard Classic: RUA #1-6, RUB #1-6

TITANIUM, SIZE #1-6



GOLD PLATED, SIZE #1-6



STAINLESS STEEL, SIZE #1-6



Luscent Anchors

Luscent Anchors non-metallic posts transmit light for curing composites within the deep confines of canals providing anchorage and flawless esthetics. Resin reinforced fiberglass Luscent Anchors fulfill dentistry's preference for very strong, non-metallic posts that are consistent with conventional adhesive techniques and materials to support core foundations and esthetic restorations. The radioluscent anchors transmit tooth color without being visible under the most adverse light conditions. They also provide a sound core-crown gingival interface radiating natural color through soft and hard tissues surrounding teeth.

Corresponding Reamers

Helix Conical: RSG #3-6, RSH #3-6, RSI #3-5

Standard Conical: RUG #1-6, RUH #4-6

XXXS: LENGTH 15 MM & Ø 1,00 MM



XXS: LENGTH 15 MM & Ø 1,15 MM



XS: LENGTH 15 MM & Ø 1,30 MM



S: LENGTH 15 MM & Ø 1,45 MM



M: LENGTH 17 MM & Ø 1,60 MM



L: LENGTH 19 MM & Ø 1,75 MM



Twin Luscent Anchors

Twin Luscent Anchors offer additional advantages to those of Luscent Anchors – improved mechanical retention, both against pulling and rotational forces. It gives a possibility to choose between tapered or parallel post shape, depending on which end is inserted in apical direction.

Corresponding Reamers

Helix Classic: RSA #3-6, RSB #3-6, RSC #3-5

Standard Classic: RUA #3-6, RUB #3-6

XS: LENGTH 16,7 MM & Ø 1,26 MM



S: LENGTH 16,7 MM & Ø 1,40 MM



M: LENGTH 16,7 MM & Ø 1,54 MM



L: LENGTH 16,7 MM & Ø 1,68 MM



SURTEX POSTS

PREMIUM POSTS WITH PROVEN RELIABILITY

Superior Retention Through Design

The Advantages

- Surtex surface treatment
- Superior retention
- One-stop dispenser for ease-of-use
- Manufactured in Sweden
- 100% quality control

The original Dentatus Surtex Posts have become a global standard in dental anchors, and offer dentists a reliable and simple solution for post and core build-up. Our high-quality, pre-fabricated posts are dependable and economic for most endodontic and prosthodontic treatment needs, available in a range of materials including pure titanium, stainless steel and gold plated.


Whatever your crown retention requirements, Dentatus Surtex Posts have the solution. Available in titanium, stainless steel and gold plated, together with our dedicated reamers they form a state-of-the-art system for post retention in endodontically treated root canals.

Dentatus Surtex Posts – a continuously developed global standard since 1932.

Square crosscut head for core material adaption

Parallell sides and surface treated for extra retention

Anatomical geometry for tapered roots



SURTEX POST SIZES

	SHORT (7,8 MM)	MEDIUM (9,3 MM)	LONG (11,8 MM)	EXTRA LONG (14,2 MM)	SUPER LONG (17 MM)
1	Ø 1,05 mm	Ø 1,05 mm	Ø 1,05 mm		
2	Ø 1,20 mm	Ø 1,20 mm	Ø 1,20 mm		
3	Ø 1,35 mm	Ø 1,35 mm	Ø 1,35 mm	Ø 1,35 mm	Ø 1,35 mm
4	Ø 1,50 mm	Ø 1,50 mm	Ø 1,50 mm	Ø 1,50 mm	Ø 1,50 mm
5	Ø 1,65 mm	Ø 1,65 mm	Ø 1,65 mm	Ø 1,65 mm	Ø 1,65 mm
6	Ø 1,80 mm	Ø 1,80 mm	Ø 1,80 mm	Ø 1,80 mm	Ø 1,80 mm

STARTER KITS

SURTEX GOLD PLATED

Economy Kit

RST-18

18 Assorted Posts: 1x S1, S2; 1x M1, M4, M5, M6; 2x M2, M3; 1x L1, L2, L3, L4, L5, L6;
1x EL4, EL6
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers
1 One-stop Dispenser



Assortment Kit

RST-60

60 Assorted Posts (20 sizes, 3 posts of each)
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers
1 One-stop Dispenser



Complete Starter Kit

RST-B

120 Assorted Posts (20 sizes, 6 posts of each)
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers
1 One-stop Dispenser



Starter Refill Kit - No Reamers

RST

120 Assorted Posts (20 sizes, 6 posts of each)
1 Hollow Key
1 Cross Key
20 Stoppers
1 One-stop Dispenser



REFILLS

SURTEX GOLD PLATED

Short, 7.8 mm, 15 pcs/pkg

RST-S1	Diameter 1.05 mm
RST-S2	Diameter 1.20 mm
RST-S3	Diameter 1.35 mm
RST-S4	Diameter 1.50 mm
RST-S5	Diameter 1.65 mm
RST-S6	Diameter 1.80 mm



Medium, 9.3 mm, 15 pcs/pkg

RST-M1	Diameter 1.05 mm
RST-M2	Diameter 1.20 mm
RST-M3	Diameter 1.35 mm
RST-M4	Diameter 1.50 mm
RST-M5	Diameter 1.65 mm
RST-M6	Diameter 1.80 mm



Long, 11.8 mm, 15 pcs/pkg

RST-L1	Diameter 1.05 mm
RST-L2	Diameter 1.20 mm
RST-L3	Diameter 1.35 mm
RST-L4	Diameter 1.50 mm
RST-L5	Diameter 1.65 mm
RST-L6	Diameter 1.80 mm



Extra Long, 14.2 mm, 15 pcs/pkg

RST-EL3	Diameter 1.35 mm
RST-EL4	Diameter 1.50 mm
RST-EL5	Diameter 1.65 mm
RST-EL6	Diameter 1.80 mm



Super Long, 17 mm, 15 pcs/pkg

RST-SL3	Diameter 1.35 mm
RST-SL4	Diameter 1.50 mm
RST-SL5	Diameter 1.65 mm
RST-SL6	Diameter 1.80 mm




STARTER KITS

SURTEX TITANIUM

Economy Kit

TST-18

18 Assorted Posts: 1x S1, S2; 1x M1, M4, M5, M6; 2x M2, M3; 1x L1, L2, L3, L4, L5, L6,
1x EL4, EL6
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers
1 One-stop Dispenser



Assortment Kit

TST-60

60 Assorted Posts (20 sizes, 3 posts of each)
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers
1 One-stop Dispenser



Complete Starter Kit

TST-B


120 Assorted Posts (20 sizes, 6 posts of each)
6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
1 Hollow Key
1 Cross Key
20 Stoppers
1 One-stop Dispenser



Starter Refill Kit - No Reamers

TST

120 Assorted Posts (20 sizes, 6 posts of each)
1 Hollow Key
1 Cross Key
20 Stoppers
1 One-stop Dispenser



REFILLS

SURTEX TITANIUM

Short, 7.8 mm, 15 pcs/pkg

TST-S1	Diameter 1.05 mm
TST-S2	Diameter 1.20 mm
TST-S3	Diameter 1.35 mm
TST-S4	Diameter 1.50 mm
TST-S5	Diameter 1.65 mm
TST-S6	Diameter 1.80 mm



Medium, 9.3 mm, 15 pcs/pkg

TST-M1	Diameter 1.05 mm
TST-M2	Diameter 1.20 mm
TST-M3	Diameter 1.35 mm
TST-M4	Diameter 1.50 mm
TST-M5	Diameter 1.65 mm
TST-M6	Diameter 1.80 mm



Long, 11.8 mm, 15 pcs/pkg

TST-L1	Diameter 1.05 mm
TST-L2	Diameter 1.20 mm
TST-L3	Diameter 1.35 mm
TST-L4	Diameter 1.50 mm
TST-L5	Diameter 1.65 mm
TST-L6	Diameter 1.80 mm



Extra Long, 14.2 mm, 15 pcs/pkg

TST-EL3	Diameter 1.35 mm
TST-EL4	Diameter 1.50 mm
TST-EL5	Diameter 1.65 mm
TST-EL6	Diameter 1.80 mm



Super Long, 17 mm, 15 pcs/pkg

TST-SL3	Diameter 1.35 mm
TST-SL4	Diameter 1.50 mm
TST-SL5	Diameter 1.65 mm
TST-SL6	Diameter 1.80 mm



STARTER KITS

SURTEX STAINLESS STEEL


Economy Kit

- SST-18** 18 Assorted Posts: 1x S1, S2, S3, S4; 1x M1, M2, M3, M4; 1x L3, L4, L5, L6; 1x EL3, EL4, EL5;
 1x SL3, SL4, SL5
 6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
 1 Hollow Key
 1 Cross Key
 20 Stoppers
 1 One-stop Dispenser




Assortment Kit

- SST-60** 60 Assorted Posts (20 sizes, 3 posts of each)
 6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
 1 Hollow Key
 1 Cross Key
 20 Stoppers
 1 One-stop Dispenser



Complete Starter Kit

- SST-B** 120 Assorted Posts (20 sizes, 6 posts of each)
 6 Assorted Standard Classic Reamers (1 RUA of each size, length 28 mm)
 1 Hollow Key
 1 Cross Key
 20 Stoppers
 1 One-stop Dispenser



Starter Refill Kit - No Reamers

- SST** 120 Assorted Posts (20 sizes, 6 posts of each)
 1 Hollow Key
 1 Cross Key
 20 Stoppers
 1 One-stop Dispenser



REFILLS

SURTEX STAINLESS STEEL

Short, 7.8 mm, 12 pcs/pkg

SST-S1	Diameter 1.05 mm
SST-S2	Diameter 1.20 mm
SST-S3	Diameter 1.35 mm
SST-S4	Diameter 1.50 mm
SST-S5	Diameter 1.65 mm
SST-S6	Diameter 1.80 mm



Medium, 9.3 mm, 12 pcs/pkg

SST-M1	Diameter 1.05 mm
SST-M2	Diameter 1.20 mm
SST-M3	Diameter 1.35 mm
SST-M4	Diameter 1.50 mm
SST-M5	Diameter 1.65 mm
SST-M6	Diameter 1.80 mm



Long, 11.8 mm, 12 pcs/pkg

SST-L1	Diameter 1.05 mm
SST-L2	Diameter 1.20 mm
SST-L3	Diameter 1.35 mm
SST-L4	Diameter 1.50 mm
SST-L5	Diameter 1.65 mm
SST-L6	Diameter 1.80 mm



Extra Long, 14.2 mm, 12 pcs/pkg

SST-EL3	Diameter 1.35 mm
SST-EL4	Diameter 1.50 mm
SST-EL5	Diameter 1.65 mm
SST-EL6	Diameter 1.80 mm



Super Long, 17 mm, 12 pcs/pkg

SST-SL3	Diameter 1.35 mm
SST-SL4	Diameter 1.50 mm
SST-SL5	Diameter 1.65 mm
SST-SL6	Diameter 1.80 mm



ACCESSORIES

FOR SURTEX METAL POSTS

NLH 1 Hollow Key



NLK 1 Cross Key



LUSCENT ANCHORS

THE ORIGINAL TRANSLUSCENT POST

Premiere Product for Strong Esthetic Restorations

The Advantages

- Excellent esthetics
- One-step procedure
- Creates anchor-core support

The Luscent Fiberglass Resin Anchors are suitable for strong esthetic anchorage of dental cohesive restorations. One-Step procedure for simultaneously curing adhesives and composites within the confines of canals creates a mono-bloc strength anchor-core support.

Color coded for fast size indication

Provide extremely high adhesion to composite materials

6 diameters to fit very slim and very large canals



STARTER KIT

LUSCENT ANCHORS

Starter Kit 3, With Standard Conical Reamers

- LUC-K3** 15 Luscent Anchors, color coded depth markers (5 of each size: small, medium, large)
 3 Assorted Standard Conical Reamers (one of each RUH-4, RUH-5, RUH-6)
 1 Probos I Pathfinder #3



REFILLS

LUSCENT ANCHORS

5 Anchors

- LUC-L5** Luscent Anchors Large (blue depth markers)
LUC-M5 Luscent Anchors Medium (red depth markers)
LUC-S5 Luscent Anchors Small (yellow depth markers)
LUC-XS5 Luscent Anchors Extra Small (white depth markers)
LUC-XXS5 Luscent Anchors XX-Small (green depth markers)
LUC-XXXS5 Luscent Anchors XXX-Small (purple depth markers)



15 Anchors

- LUC-L15** Luscent Anchors Large (blue depth markers)
LUC-M15 Luscent Anchors Medium (red depth markers)
LUC-S15 Luscent Anchors Small (yellow depth markers)
LUC-XS15 Luscent Anchors Extra Small (white depth markers)
LUC-XXS15 Luscent Anchors XX-Small (green depth markers)
LUC-XXXS15 Luscent Anchors XXX-Small (purple depth markers)



LUSCENT ANCHOR SIZES

XXXS: LENGTH 15 MM & Ø 1,00 MM		S: LENGTH 15 MM & Ø 1,45 MM	
XXS: LENGTH 15 MM & Ø 1,15 MM		M: LENGTH 17 MM & Ø 1,60 MM	
XS: LENGTH 15 MM & Ø 1,30 MM		L: LENGTH 19 MM & Ø 1,75 MM	

TWIN LUSCENT ANCHORS

FIBERGLASS RESIN DENTAL ANCHOR
WITH AN INNOVATIVE DESIGN

A Winning Combination of Light Transmission & Attractive Esthetics

The Advantages

- Design provides extra high retention
- Glass fiber material for high esthetics
- High adhesion

The Twin Luscent Anchor is based on the Luscent Anchor. The design is a visible assurance against accidental debonding of adhesive and resin-core materials.

Dentatus has raised the standard of excellence with the Twin Luscent Anchors. This innovative design is your visible assurance against accidental debonding of adhesive and resin-core materials. The slim mid-section creates a "physical choke", while the vent groove eliminates air resin entrapment and prevents rotational dislocation. It all adds up to a winning combination of light transmission & attractive esthetics.

Color-coded for fast size indication

Hour-glass shape provides improved retention

Longitudinal groove



STARTER KIT

TWIN LUSCENT ANCHORS

Starter Kit 1, With Standard Classic Reamers

- LUT-K1** 15 Twin Luscent Anchors, color coded depth markers (5 of each size: small, medium, large)
3 Assorted Standard Classic Reamers (one of each RUA-4, RUA-5 and RUB-6).



REFILLS

TWIN LUSCENT ANCHORS

5 Anchors

- LUT-L5** Luscent Anchors Large (blue depth markers)
LUT-M5 Luscent Anchors Medium (red depth markers)
LUT-S5 Luscent Anchors Small (yellow depth markers)
LUT-XS5 Luscent Anchors Extra Small (white depth markers)



x 5

15 Anchors

- LUT-L15** Luscent Anchors Large (blue depth markers)
LUT-M15 Luscent Anchors Medium (red depth markers)
LUT-S15 Luscent Anchors Small (yellow depth markers)
LUT-XS15 Luscent Anchors Extra Small (white depth markers)



x 15

TWIN LUSCENT ANCHOR SIZES

XS: LENGTH 16,7 MM & Ø 1,26 MM



M: LENGTH 16,7 MM & Ø 1,54 MM



S: LENGTH 16,7 MM & Ø 1,40 MM



L: LENGTH 16,7 MM & Ø 1,68 MM



REAMERS

CREATING THE PERFECT SEAT

The Perfect Match to Dentatus Post Systems

The Advantages

- For a perfect match between the root and the canal posts
- High-quality stainless steel
- Wide choice of sizes


Dentatus reamers are designed to create a perfect match between dental root canals and the shapes and sizes of the corresponding posts.

Made in Sweden from surgical high-quality steel for high-quality performance.

Reliable and long lasting performance

Sizes are indicated by numbers of grooves on the shank

Sharp cutting edges to create perfect seat for Dentatus Posts



ASSORTED PACKAGES

STANDARD CLASSIC REAMERS

Assorted Packages, 6 pcs/pkg

- RUA-1/6** Standard Classic Reamers, Short (1 of each size)
- RUB-1/6** Standard Classic Reamers, Long (1 of each size)



REFILLS

STANDARD CLASSIC REAMERS

Short, 28 mm, 3 pcs/pkg

- RUA-1/3FP** (#1) XXX-Small Diameter 1.05 mm
- RUA-2/3FP** (#2) XX-Small Diameter 1.20 mm
- RUA-3/3FP** (#3) X-Small Diameter 1.35 mm
- RUA-4/3FP** (#4) Small Diameter 1.50 mm
- RUA-5/3FP** (#5) Medium Diameter 1.65 mm
- RUA-6/3FP** (#6) Large Diameter 1.80 mm



Long, 33 mm, 3 pcs/pkg

- RUB-1/3FP** (#1) XXX-Small Diameter 1.05 mm
- RUB-2/3FP** (#2) XX-Small Diameter 1.20 mm
- RUB-3/3FP** (#3) X-Small Diameter 1.35 mm
- RUB-4/3FP** (#4) Small Diameter 1.50 mm
- RUB-5/3FP** (#5) Medium Diameter 1.65 mm
- RUB-6/3FP** (#6) Large Diameter 1.80 mm



STANDARD CONICAL REAMERS

Short, 28 mm, 2 pcs/pkg

- RUG-1/2** (#1) XXX-Small Diameter 1.05 mm
- RUG-2/2** (#2) XX-Small Diameter 1.20 mm
- RUG-3/2** (#3) X-Small Diameter 1.35 mm
- RUG-4/2** (#4) Small Diameter 1.50 mm
- RUG-5/2** (#5) Medium Diameter 1.65 mm
- RUG-6/2** (#6) Large Diameter 1.80 mm



Long, 33 mm, 2 pcs/pkg

- RUH-4/2** (#4) Small Diameter 1.50 mm
- RUH-5/2** (#5) Medium Diameter 1.65 mm
- RUH-6/2** (#6) Large Diameter 1.80 mm



ASSORTED PACKAGES

HELIX CLASSIC REAMERS

Assorted Packages, 3 pcs/pkg

RSA-123	Helix Classic Reamers, Short (1 of each size 1, 2 ,3)
RSA-345	Helix Classic Reamers, Short (1 of each size 3, 4 ,5)
RSA-456	Helix Classic Reamers, Short (1 of each size 4, 5, 6)
RSB-123	Helix Classic Reamers, Long (1 of each size 1, 2 ,3)
RSB-345	Helix Classic Reamers, Long (1 of each size 3, 4 ,5)
RSB-456	Helix Classic Reamers, Long (1 of each size 4, 5, 6)
RSC-123	Helix Classic Reamers, Extra Long (1 of each size 1, 2 ,3)
RSC-345	Helix Classic Reamers, Extra Long (1 of each size 3, 4 ,5)



REFILLS

HELIX CLASSIC REAMERS

Short, 28 mm, 3 pcs/pkg

RSA-1/3	(#1) XXX-Small	Diameter 1.05 mm
RSA-2/3	(#2) XX-Small	Diameter 1.20 mm
RSA-3/3	(#3) X-Small	Diameter 1.35 mm
RSA-4/3	(#4) Small	Diameter 1.50 mm
RSA-5/3	(#5) Medium	Diameter 1.65 mm
RSA-6/3	(#6) Large	Diameter 1.80 mm



Long, 33 mm, 3 pcs/pkg

RSB-1/3	(#1) XXX-Small	Diameter 1.05 mm
RSB-2/3	(#2) XX-Small	Diameter 1.20 mm
RSB-3/3	(#3) X-Small	Diameter 1.35 mm
RSB-4/3	(#4) Small	Diameter 1.50 mm
RSB-5/3	(#5) Medium	Diameter 1.65 mm
RSB-6/3	(#6) Large	Diameter 1.80 mm



Extra Long, 37 mm, 2 pcs/pkg

RSC-1/2	(#1) XXX-Small	Diameter 1.05 mm
RSC-2/2	(#2) XX-Small	Diameter 1.20 mm
RSC-3/2	(#3) X-Small	Diameter 1.35 mm
RSC-4/2	(#4) Small	Diameter 1.50 mm
RSC-5/2	(#5) Medium	Diameter 1.65 mm



ASSORTED PACKAGES

HELIX CONICAL REAMERS

Assorted Packages, 3 pcs/pkg

RSG-345	Helix Conical Reamers, Short (1 of each size 3, 4 ,5)
RSG-456	Helix Conical Reamers, Short (1 of each size 4, 5, 6)
RSH-345	Helix Conical Reamers, Long (1 of each size 3, 4 ,5)
RSH-456	Helix Conical Reamers, Long (1 of each size 4, 5, 6)
RSI-345	Helix Conical Reamers, Extra Long (1 of each size 3, 4 ,5)



REFILLS

HELIX CONICAL REAMERS

Short, 28 mm, 3 pcs/pkg

RSG-3/3	(#3) X-Small	Diameter 1.35 mm
RSG-4/3	(#4) Small	Diameter 1.50 mm
RSG-5/3	(#5) Medium	Diameter 1.65 mm
RSG-6/3	(#6) Large	Diameter 1.80 mm



Long, 33 mm, 3 pcs/pkg

RSH-3/3	(#3) X-Small	Diameter 1.35 mm
RSH-4/3	(#4) Small	Diameter 1.50 mm
RSH-5/3	(#5) Medium	Diameter 1.65 mm
RSH-6/3	(#6) Large	Diameter 1.80 mm



Extra Long, 37 mm, 2 pcs/pkg

RSI-3/2	(#3) X-Small	Diameter 1.35 mm
RSI-4/2	(#4) Small	Diameter 1.50 mm
RSI-5/2	(#5) Medium	Diameter 1.65 mm



ASSORTED PACKAGES

SPECIAL REAMERS

Assorted Packages

RUF-1/6	6 Probos I, Pathfinder Assorted (1 of each size)
RUD	4 Probos II, Reamer/Router Assorted (1 of each size)

DENTATUS MATRIX BANDS

THE ORIGINAL AND SPECIAL CLASS V

Highly Regarded by Users All Over the World

The Advantages


- Swedish stainless steel
- Recognized and used globally
- Original Nyström retainers – no copies

Dentatus' Matrix Bands are manufactured from the highest quality stainless steel. The standard shape bands are available in two thicknesses: 0.05 and 0.04 mm.

The 0.04 mm bands are made of high-quality stainless steel, and the thicker bands, 0.05 mm, are made from stainless steel with special dead soft quality. The choice of steel quality gives the bands high strength and good adjustability. The thinnest bands provide very good prerequisites for well contoured and defined interproximal contacts.

Dentatus quality has proven to be highly regarded by users all over the world for a long period of time.

All Dentatus Matrix Bands have perfectly smooth edges.




ORIGINAL DENTATUS MATRIX BANDS

STAINLESS STEEL, 0.04 MM THICK, 12 PCS/PKG

MDD-1RF MDD-2RF MDD-3RF
 MDD-4RF MDD-5RF MDD-6RF

STAINLESS DEAD SOFT STEEL, 0.05 MM THICK, 12 PCS/PKG & 100 PCS/PKG

MDD-1 MDD-2 MDD-3
 MDD-4 MDD-5 MDD-6



ASSORTED PACKAGES

STAINLESS STEEL, 0.04 MM THICK, 12 PCS/PKG

MDD-1RF/DS

12 Matrix Bands, 0.04 mm thick, #1

MDD-2RF/DS

12 Matrix Bands, 0.04 mm thick, #2

MDD-3RF/DS

12 Matrix Bands, 0.04 mm thick, #3

MDD-4RF/DS


12 Matrix Bands, 0.04 mm thick, #4

MDD-5RF/DS

12 Matrix Bands, 0.04 mm thick, #5

MDD-6RF/DS

12 Matrix Bands, 0.04 mm thick, #6



ASSORTED PACKAGES

DEAD SOFT STAINLESS STEEL, 0.05 MM THICK, 12 PCS/PKG

MDD-1/DS

12 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #1



MDD-2/DS

12 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #2



MDD-3/DS

12 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #3



MDD-4/DS

12 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #4



MDD-5/DS

12 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #5



MDD-6/DS

12 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #6



DEAD SOFT STAINLESS STEEL, 0.05 MM THICK, 100 PCS/PKG

MDD-1/100FP

100 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #1



MDD-2/100FP

100 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #2



MDD-3/100FP

100 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #3



MDD-4/100FP

100 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #4



MDD-5/100FP

100 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #5



MDD-6/100FP

100 Matrix Bands, 0.05 mm thick, made of special dead soft stainless steel, #6



NEW

DENTATUS CONTOURED MATRIX BANDS

EFFORTLESS RESTORATION WITH NATURAL CONTOUR

Dentatus is excited to introduce its **NEW** Contoured Matrix Bands, expertly crafted with precise anatomical shapes that replicate the natural contours of teeth. These contoured bands are designed to simplify the restoration process by reducing the need for manual contouring, saving clinicians both time and effort.

- Accelerate the restoration process with contoured matrix bands
- Finished edges increase patient comfort and safety
- Improve clinical results with anatomical shapes
- Save valuable chair time
- Available in a variety of sizes and contours

Crafted from high-grade stainless steel, Dentatus Contoured Matrix Bands deliver outstanding strength and durability. Offered in two thicknesses — 0.038mm and 0.045mm — these bands provide flexibility for various restorative needs.

APPLICATION

Our single-use, disposable matrix bands are ideal for shaping and contouring amalgam or composite restorations. By eliminating manual shaping, these bands boost procedural efficiency and are perfect for a wide range of Class II restorations, ensuring reliable performance and high patient satisfaction.



Dentatus Contoured Matrix Bands streamline the restorative process, allowing clinicians to focus on providing optimal patient care. Their anatomical accuracy, high quality material, and user-friendly design result in restorations that are both esthetically pleasing and functionally superior.

Together with Dentatus Retainers, the Contoured Matrix Bands are designed to achieve precise contours, minimizing the risk of open margins, cupping, and overhangs, preventing future oral health issues. They facilitate easier packing of restorative material, creating a smooth external surface that ensures proper interproximal contacts and reduces post-operative sensitivity by providing a snug fit and minimizing irregularities.

CONTOURED MATRICES, 0.045 MM THICK, 50 PCS/PKG

CMD-5045

Dentatus contoured matrices molar double sided.



CMD-5046

Dentatus contoured matrices molar single sided.

m/d
d/m



CMD-5047

Dentatus contoured matrices molar single sided.

d/m
m/d



CMD-5048

Dentatus contoured matrices premolar double sided.



CMD-5049

Dentatus contoured matrices premolar single sided.

m/d
d/m



CMD-5050

Dentatus contoured matrices premolar single sided.

d/m
m/d



CONTOURED MATRICES, 0.038 MM THICK, 50 PCS/PKG

CMD-5062

Tofflemire matrices.




MATRIX BANDS SPECIAL - CLASS V RESTORATIONS

STAINLESS STEEL, 0.04 MM THICK (ACC. TO DR. NYSTRÖM), 12 PCS/PKG

MDD-N1/DS MDD-N3/DS MDD-N4A/DS

MDD-N4B/DS MDD-N5A/DS MDD-N5B/DS



STAINLESS STEEL, 0.04 MM THICK, CLASS V RESTORATIONS, 12 PCS/PKG

MDD-N1/DS

12 Matrix Bands, 0.04 mm thick, Stainless Steel Special Class V, Ad Modum Dr. Nyström, N1

MDD-N3/DS

12 Matrix Bands, 0.04 mm thick, Stainless Steel Special Class V, Ad Modum Dr. Nyström, N3

MDD-N4A/DS

12 Matrix Bands, 0.04 mm thick, Stainless Steel Special Class V, Ad Modum Dr. Nyström, N4A

MDD-N4B/DS


12 Matrix Bands, 0.04 mm thick, Stainless Steel Special Class V, Ad Modum Dr. Nyström, N4B

MDD-N5A/DS

12 Matrix Bands, 0.04 mm thick, Stainless Steel Special Class V, Ad Modum Dr. Nyström, N5A

MDD-N5B/DS

12 Matrix Bands, 0.04 mm thick, Stainless Steel Special Class V, Ad Modum Dr. Nyström, N5B



MATRIX RETAINERS

MANUFACTURED ACCORDING TO DR. NYSTRÖM

The Proven Matrix System in Combination With Dentatus Matrix Bands

The Advantages

- Made in Sweden
- Superior quality
- Reliable function
- The Original

Dentatus has manufactured the original matrix retainers according to Dr. Nyström for decades. Made of Swedish steel according to highest standards they have been globally recognized for their reliability and high-quality.

The Dentatus Nyström matrix retainers provide the dentist an everyday reliable placing of matrices. In combination with the classic Dentatus Matrix Bands they are a user friendly and proven matrix system.

Different models, straight or angled

User friendly

Swedish steel



ASSORTED PACKAGES

MATRIX RETAINERS

Swedish Steel, The Original

MEC

Universal, Straight, 1 pc



MEC-N

Universal, Angled, 2 pcs (1 Right & 1 Left)

MEC-N1

Universal, Angled, Right, 1 pc



MEC-N2

Universal, Angled, Left, 1 pc



ARTICULATORS

FOR EFFICIENT AND ACCURATE STUDY OF OCCLUSAL RELATIONS

Sturdiness and Precise Performance

The Advantages

- Robust, precise and reliable
- New and upgraded design for easier usage and maintenance
- Ergonomic knobs and improved visibility scales
- Wide range of accessories and spare parts
- Can be used with Dentatus' Face and Ear Bows

We are proud to introduce two upgraded articulators, ARH2 and ARL2, in a new modern design for easier usage and maintenance.

The new upgraded models in the Dentatus articulator and face bow range keep the same high-quality and precision as recognized by the profession since long. Main improvements are found with scales and settings which have been made more ergonomical for the user.

Dedicated face & ear bows

Precise and reliable performance

Swedish quality




DENTATUS ARTICULATORS

The design of the Dentatus articulators has been made to fulfill the requirements necessary for efficient and accurate study of occlusal relations, diagnosis and treatment planning in natural and artificial dentitions. It is a high-quality tool for individual reproduction of tooth and jaw relations, for analysis and extra oral manufacturing of individual prosthetics and other individual related dental devices.

The Dentatus articulators are made of aluminium and high-quality stainless steel with anodized surfaces (black details) and powder coated (blue details) for sturdy and reliable use over long time. Durable plastic feet protect table surfaces from scratches.

The care with which polished or anodized surfaces, ground parts, etc. have been machined and finished is not only intended for the appearance but also to facilitate the removal of plaster, wax and other foreign matter from the articulator.



The articulator is defined as "a mechanical instrument that represents the temporomandibular joints (TMJs) and jaws, to which maxillary and mandibular casts may be attached to simulate some or all mandibular movements" (Academy of Denture Prosthetics 1977).

The Articulator

Made in Sweden Since 1944

Dentatus articulators have been manufactured in Sweden since 1944 and are still well-known high-quality precision instruments designed for long time service at dental clinics, laboratories and education centers across the world.

For more information, please visit Dentatus' website: www.dentatus.com



Dentatus Articulator ARH2 – A True Companion

Specifications:

Dentatus Articulator ARH2 proves its value by being the most sold of all the Dentatus Articulator models ever.

Being a precision instrument but yet with an unsurpassed sturdy and robust construction, the Dentatus ARH has become the standard in many countries globally. Materials used and surface finish makes our articulators stand up against everyday use for many years.

MADE IN SWEDEN SINCE 1944


Dentatus Articulator ARL2 – Top Of The Line

Specifications:

Dentatus articulator ARL2 has all the benefits of the ARH2 plus the Adjustable Upper Jaw and the calibration possibility with the Gauge Block.

ARL2 has adjustable Upper Jaw Member and is easily calibrated by use of the Gauge Block. With the Gauge Block the articulator can be adjusted and will assure correct settings.

An articulator will in practical work be subject to gradual changes either by wear or by accident. When such changes are discovered, checking and adjustment of the articulator is important. The Gauge Block is an efficient adjunct to the ARL2 Articulator for continued precision over time.



The Importance of Occlusion

Understanding the correct relations between the static and functional dental contacts is key to good clinical practice in restorative dentistry. The articulator's primary function is to work as if it was a patient 'in-absence'.



ARL2




**ARL2 without Gauge
Block**

COMPLETE ARTICULATORS

STANDARD TYPES

Standard Type Semi-Adjustable Articulator

- ARH2**
- 1 Solid Incisal Table (ARX-16)
 - 1 Incisal Pin (ARH-22)
 - 1 Orbital Indicator (ARH-K)
 - 1 Long Support Pin (ARH-39)
 - 2 Zinc Mounting Plates (ARH-Z)
 - 2 Composite Reinforced Mounting Plates (ARH-ZC)



Standard Type Semi-Adjustable Articulator

- ARL2**
- 1 Solid Incisal Table (ARX-16)
 - 1 Incisal Pin (ARH-22)
 - 1 Orbital Indicator (ARH-K)
 - 1 Gauge Block (ARL-M)
 - 1 Long Support Pin (ARH-39)
 - 2 Zinc Mounting Plates (ARH-Z)
 - 2 Composite Reinforced Mounting Plates (ARH-ZC)



ACCESSORIES

MOUNTING PLATES

Zinc or Reinforced Composite

- ARH-Z-2** 2 Zinc Mounting Plate
ARH-Z-28 28 Zinc Mounting Plate



- ARH-ZC-2** 2 Reinforced Composite Mounting Plate
ARH-ZC-28 28 Reinforced Composite Mounting Plate



DENTATUS FACE BOW & EAR BOW RANGE

FOR EFFICIENT AND ACCURATE STUDY OF OCCLUSAL RELATIONS

The Benchmark for Dental Perfection

The Advantages

- High reliability by obtaining precise data from the patient
- Easy transfer of accurate data to Dentatus articulators
- Long lasting quality

The Dentatus' Face Bow and Ear Bow are designed to meet the same high demands for stability and durability as the Dentatus articulators. The face bow and ear bow are used for patient jaw registrations on the correct positioning of teeth in relation to the temporomandibular during insertion in the articulator. The two variants are available depending on the preferred method used for determining the condular position on the patient.


With Dentatus' Face Bow and Ear Bow it is easy to obtain precise data from the patient and accurately transfer this information into and in order to fully utilize the scientifically designed Dentatus articulators. Only then are the precision Dentatus articulators used at greater advantage. In addition, to accommodate extreme cases the Dentatus Face Bow has been made somewhat larger than ordinary face bows.

The Dentatus' Face Bow and Ear Bow fit all Dentatus Articulators with exception for model AEE on older Dentatus articulators without auditory pins.


Manufactured from high-quality aluminium

Precise and reliable performance

Swedish quality



Product Information and Maintenance Instructions




Dentatus Face Bow **AEB**

The AEB Face Bow is equipped with Standard Calibrated Condylar Rods. The cranial contact points on the Calibrated Condylar Rods are to be positioned at the corresponding positions of the patient's condyles. When transferred to the articulator, the Calibrated Condylar Rods fit on the Condylar Axis's on the articulator.

Condylar Rods

The Calibrated Condylar Rods are exchangeable. By changing the rods, the same bow can be used for all methods of determining the condylar position. Optionally, for extremely precise placement, yet another set of Calibrated Condylar Rods is available. The AEB-NO has extendable pins, for exact placement over pre-marked positions on the cheek. On the articulator, the AEB-NO is used in the same way as AEB.



Dentatus Ear Bow **AEE**

The AEE Ear bow is equipped with Calibrated Condylar Rods with blue rounded ear pieces, to be used in the patient's ear openings. This makes it easier for the operator to handle the face bow single handedly. When transferred to the articulator, the blue rounded ear plugs are attached to the Auditory Pins placed on the outer side of the articulator's Condylar Track Assemblies.

Important: With the AEE, it is necessary to lock the articulator at 40° Horizontal Condylar Inclination and Bennett angles at 20°. This to compensate for the 12 mm distance from the center of the Condylar Axis to the auditory meatus.

Maintenance

The Dentatus Face Bows are manufactured from high-quality aluminium, to reduce weight. They can be disinfected with alcohol and autoclaved, if necessary.



AEE-E2



AEB-NO & AEB-B2

Available Sets of Condylar Rods

AEB-NO: 2 pcs set of Calibrated Condylar Rods with extendable pins

AEB-B2: 2 pcs set of Standard Calibrated Condylar Rods


AEE-E2: 2 pcs set of Condylar Rods with Blue Earpieces

FACE BOWS

FOR ALL ARTICULATOR MODELS

Face Bow

- AEB**
- 1 Bitefork (AEB-G)
 - 1 Orbital Pointer (AEB-18)
 - 1 Clamp For Bitefork (AEB-Y)
 - 1 Clamp For Orbital Pointer (AEB-R)
 - 2 Standard Calibrated Condylar Rods (AEB-B)



Ear Bow

- AEE**
- 1 Bitefork (AEB-G)
 - 1 Orbital Pointer (AEB-18)
 - 1 Clamp for Bitefork (AEB-Y)
 - 1 Clamp For Orbital Pointer (AEB-R)
 - 2 Special Calibrated Condylar Rods with Blue Rounded Earpieces (AEE-E2)



ACCESSORIES

FOR FACE BOWS

- AEB-NO** 2 Calibrated Condylar Rods with Extendible Pins




SPARE PARTS & SERVICE

A Dentatus articulator or face bow is not everlasting – but almost. There is a good possibility that your used and maybe seized Dentatus articulator can be fixed to perfect function again. We give service and exchange worn parts on several of our old models.

Contact our Spare Parts & Service department via e-mail at: info@dentatus.se

The features that make Dentatus ANEW the most versatile narrow-diameter implant system




ANEW STERILE IMPLANTS 1-pack

	Threaded Length		
	7.0	10.0	14.0
Diameter 1.8	ST-18S-R-1	ST-18M-R-1	ST-18L-R-1
2.2	ST-22S-R-1	ST-22M-R-1	ST-22L-R-1
2.4	ST-24S-R-1	ST-24M-R-1	ST-24L-R-1
2.8		ST-28M-R-1	ST-28L-R-1

ANEW STERILE IMPLANTS 2-pack

	Threaded Length		
	7.0	10.0	14.0
Diameter 1.8	ST-18S-R	ST-18M-R	ST-18L-R
2.2	ST-22S-R	ST-22M-R	ST-22L-R
2.4	ST-24S-R	ST-24M-R	ST-24L-R

***The simple solution
for Denture Comfort™***



The narrow-diameter ATLAS implant is designed to retain lower dentures for patients with moderate to severe resorbed bone. The low profile 3mm ATLAS dome head creates bilateral support with gentle passive retention without copings, O-rings or adhesives.


The ATLAS procedure is minimally invasive, requires no surgical flap and significantly reduces chair time, making implants affordable to more patients. Because the implants can be immediately loaded and cushioned, patients can walk into your office and leave within an hour with a comfortable, stable denture.

The clinically tested and proven ATLAS titanium alloy implants for long-term use are lauded by patients that have regained their self-esteem and natural chewing function.

ATLAS STERILE IMPLANTS 2-pack

		Threaded Length		
		7.0	10.0	14.0
Diameter	1.8	AT-18S-R	AT-18M-R	AT-18L-R
	2.2	AT-22S-R	AT-22M-R	AT-22L-R
	2.4	AT-24S-R	AT-24M-R	AT-24L-R
	2.8		AT-28M-R	AT-28L-R

*Fits thin ridges
Fits your patient's budget
Fits your practice*




THE DIFFERENCE BETWEEN THE TWO LASER MARKING SYSTEMS ON THE CEPO DRILLS:

SYSTEM 1

For bone level procedures. The lower border line of each marking corresponds to the threaded length of the implant: short (7mm), medium (10mm) and long (14mm). Markings width is 0.5mm.

SYSTEM 2

For flapless placement. The upper border line of each marking correspond to the implant's platform: short (11mm), medium (14mm) and long (18mm), i.e. flush with the top of the gingiva. Markings width is 2mm.



Example for an implant of Medium length

CePo DRILLS - SYSTEM 1



MR-1041 2 CePo Pilot Drills, 1.8mm, Long



MR-1042 2 CePo Pilot Drills, 1.8mm, Short



MR-1045 2 CePo Drills for 2.2 mm Implants, Short



MR-1046 2 CePo Drills for 2.4 mm Implants, Short

CePo DRILLS - SYSTEM 2



MR-1141 2 CePo Pilot Drills, 1.8mm, Long



MR-1142 2 CePo Pilot Drills, 1.8mm, Short



MR-1145 2 - CePo Drills for 2.2 mm Implants, Short



MR-1146 2 - CePo Drills for 2.4 mm Implants, Short



MR-1147 2 - Drills for 2.8 mm Implants, Short

THE MAGIC OF TUF-LINK® SILICONE




Equal parts comfort & retention for dentures

Twenty five percent of all Americans over the age of 60 wear dentures. Published data suggests overtime 90% will experience discomfort with their denture.


Dentatus can help! Our Tuf-Link® Complete is designed to cushion and stabilize full or partial dentures without adhesives, and glazes in one, short office visit.

Tuf-Link is a nonporous silicone-resin reline formula that won't absorb water, which is one of the leading causes of bacteria growth and odor. This extraordinary liner is tear resistant and maintains its form and resiliency for 18-24 months.

New or existing dentures are first retrofit chairside with the Denture Forming Instruments, and then relined with Tuf-Link. Polymerizing in 4-5 minutes, Tuf-Link creates a perfect fit every time, without post-insertion adjustments, discomfort, sores or lesions.



CREATE AN UNDERCUT SEAM



CREATE DEPTH GROOVES



REMOVE GROOVES AT DEPTH



DISPENSE AND SPATULATE TUF-LINK



APPLY TUF-LINK TO DENTURE



TRIM AND PLACE LINER

TUF-LINK SILICONE MATERIAL

TUF-LINK SILICONE CARTRIDGES



TK-103 1 Tuf-Link Silicone 10ml Cartridge with 3 Auto-Mix Tips



TK-503 1 Tuf-Link Silicone 50ml Cartridge with 10 Auto-Mix Tips

AUTO-MIX TIPS



TK-T-10 10 Auto-Mix Tips for Tuf-Link 10 ml Cartridge

TK-T 10 Auto-Mix Tips for Tuf-Link 50 ml Cartridge

AUTO-MIX DISPENSERS



TK-G-10 1 Auto-Mix Dispenser for Tuf-Link 10 ml Cartridge



TK-G 1 Auto-Mix Dispenser for Tuf-Link 50 ml Cartridge

DENTATUS' GENERAL TERMS & CONDITIONS

DENTATUS BUSINESS POLICY

It is our policy to make every effort to genuinely satisfy our customers by providing consistently high-quality products and services. Our products are designed to perform as claimed when used in the manner recommended in our technical instructions and manuals and they are intended to be used by dental professionals only.

PURCHASING

Prices

Prices are subject to change without notice. Possession of a price list does not constitute an offer to sell. All prices are in European currency, Euro (€). For sales within the EU, Swedish VAT (25%) will be added unless a valid VAT registration number is presented at ordering.

Ordering and Minimum Orders

When ordering products, please include complete catalog numbers. Orders totaling less than € 200 will be subject to a special processing charge of € 30.

Terms

Payment will be made against documents unless otherwise agreed upon. Past due balances are subject to interest according to EU regulations. Dentatus also reserves the right to renegotiate the terms and conditions in the event of repeated late payments. Delivered products remain under the property of Dentatus until complete payment has been made by the customer.

FREIGHT/SHIPPING

General

All shipments are Ex Works (EXW). Assistance with arranging freight and insurance on request can be provided.

Documents

Dentatus will cover costs for documents required to be authenticated and/or legalized by national authorizations to a certain extent. Extensive costs will be charged the customer separately.

Claims

Short claims must be made within 10 days from receipt of goods. Damaged goods must be reported to the carrier within 24 hours. Damage claim must be filled by consignee.

PRODUCTS

Product Changes

Dentatus reserves the right to make product changes without prior notice. The customer is prohibited to remove or change Dentatus' trademarks and trade names, signs or any marks on any Dentatus product or packaging or to make any alternations in the construction or design of any product.

Warranty

Dentatus warrants its products against defective manufacturing and materials under normal procedure of use within the dental profession for a period of two years from date of purchase. Warranty claims must have proof of purchase to be valid.

Returns and Claims

Before goods are returned for credit or exchange, prior written approval including a RMA (Return to Manufacturer Authorization) number must be obtained from Dentatus. Only standard merchandise of current manufacture and labeling and less than 90 days from the date of original shipment will be accepted for credit. Reason for return has to be stated. Merchandise returned in the original, unopened container and accompanied by the invoice number and date of purchase will be credited at the original purchase price. However, returned "opened" merchandise or merchandise requiring repackaging will be subject to a minimum of 15% restocking charge. Used merchandise cannot be returned. Return of merchandise must be prepaid. Merchandise returned without prior written approval will be returned to the customer at the customer's expense.

Instructions for Use (IFU)

In the EU, if officially requested language at any given time is not covered by IFU, delivery may not take place until an approved translation has been prepared. A written agreement on accepted deviation has to be made. A translation has to follow the English or Swedish original, and has to be approved by Dentatus prior to use.

Traceability

Dentatus' products are in general labeled with LOT numbers, which allow the products to be traced in production and to customers, in case of product malfunction. The LOT number is placed on the packaging and has to be included in any return, claim or incident/accident, where the product is likely to have failed. It is required that our distributors have an integrated functional system to trace our products to the purchaser/end-user/patient, whoever is the next in the distribution chain. We also require that our distributors make this requirement to their distributors (if relevant).

Reporting Incidents and Accidents

Any malfunction of our products shall be reported to Dentatus without delay, but not later than 7 elapsed calendar days following the awareness of the event. It is important that we are informed in details on what has happened, which product(s) is (are) concerned, if there are any personal injuries or deaths involved, and a contact person for us to contact.

Limitation of Liability

Except where prohibited by law, Dentatus will not be liable for any loss or damage arising from its products, whether direct, indirect, special, incidental or consequential, regardless of the theory asserted, including warranty, contract, negligence or strict liability.

BL-6824-04_2024-10



Dentatus AB
www.dentatus.com
SE: +46 8 546 509 00
info@dentatus.se
US: +1 212 481 1010
dentatus@dentatus.com

